PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
C12Q 1/68, C12P 19/34, C07H 21/02,
21/04

(11) International Publication Number: WO 98/03683

(43) International Publication Date: 29 January 1998 (29.01.98)

(21) International Application Number: PCT/US97/12606

(22) *International Filing Date: 18 July 1997 (18.07.97)

(30) Priority Data:

60/020 998

19 July 1996 (19.07.96)

IJS

(71) Applicants (for all designated States except US): THE REGENTS OF THE UNIVERSITY OF MICHIGAN [US/US]; Technology Management Office, Wolverine Tower, Roon 2071, 3003 South State Street, Ann Arbor, MI 48109-1280 (US). BOARD OF TRUSTEES OPERATING MICHIGAN STATE UNIVERSITY [US/US]; East Lansing, MI 48824 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): VENTA, Patrick, J. [US/US]; 9646 Rolling Green, Pinckney, MI 48169 (US), BREWER, George, J. [US/US]; 3820 Gensley, Ann Arbor, MI 48103 (US). YUZBASIYAN-GURKAN, Vilma [US/US]; 3101 Dexter Road, Ann Arbor, MI 48103 (US). SCHALL, William, D. [US/US]; 3150 S. Williamston, Williamston, MI 48895 (US).

(74) Agents: SMITH, DeAnn, F. et al.; Harness, Dickey & Pierce, P.L.C., P.O. Box 828, Bloomfield Hills, MI 48303 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TI, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: DNA ENCODING CANINE VON WILLEBRAND FACTOR AND METHODS OF USE

(57) Abstract

The complete sequence of the canine von Willebrand Factor cDNA and deduced amino acid sequence is provided. The mutation which causes von Willebrand's Disease in Scottish Terriers, a single base deletion in exon 4, has also been determined. Methods for detecting carriers of the defective vWF gene are also provided.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	-	-	-	. •			••
AL	Albania	E 5	Spain	LS	Lexatho	81	Slovenia
AM	Armenia	71	Finland	LT	Lithuania	8K	Slovakia
AT	Amstria	FR	Prance	w	Luxembourg	SN	Scnegal
ΑU	Australia	GA	Gebou	LV	Latvia	SZ.	Swaziland
AZ	Az erbalja n	C3B	United Kingdom	MC	Monaco	TD	Ched
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TC	Togo
	Berbedos	GH	Chata	MG	Medigencer	TJ	Tajikistas
32	Belgium	GN	Guioca	MK	The former Yugoslav	TM	Turkmenistan
3.7	Burkina Paso	CR	Greece		Republic of Macedonia	TR	Turkey
₽G	Bulgaria	RU	Hungary	MIL	Mali	TT	Trinided and Tobe
B.J	Beain	1E	treland	MEN	Mongolia	UA	Ukminc
32	Brazil	IL	israel	MOR	Markania	UG	Uganda
BY	Belgrus	18	Iceland	MW	Malewi	US	United States of A
CA	Canada	IΤ	Raly	MX	Mexico	UZ	Usbekistes
CT	Central African Republic	JP.	Japan	NE	Niger	VN	Vict Nam
CC	Congo	KE	Копув	NI.	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
а	Côte d'Ivoire	KP	Domocratic People's	NZ	New Zcaland		
CM	Carneroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakutan	RO	Romenia		
CZ	Caech Republic	LC	Saint Lucia	RU	Ressian Federation		
DE	Germany	u	Liecheconecin	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE.	Sweden		
EE	Estonia	LR	Liberia	8G	Singapore		

DNA ENCODING CANINE VON WILLEBRAND FACTOR AND METHODS OF USE

FIELD OF THE INVENTION

This invention relates generally to canine von Willebrand factor (vWF), and more particularly, to the gene encoding vWF as well as a genetic defect that causes canine von Willebrand's disease.

BIOLOGICAL DEPOSITS

SEQUENCE

ACCESSION NO

Canine von Willebrand Factor

10

20

BACKGROUND OF THE INVENTION

In both dogs and humans, von Willebrand's disease (vWD) is a bleeding disorder of variable severity that results from a quantitative or qualitative defect in von Willebrand factor (vWF) (Ginsburg, D. et al., Blood 79:2507-2519 (1992); Ruggeri, Z.M., et al., FASEB J 7:308-316 (1993); Dodds, W.J., Mod Vet Pract 681-686 (1984); Johnson, G.S. et al., JAVMA 176:1261-1263 (1988); Brooks, M., Probl In Vet Med 4:636-646 (1992)). This clotting factor has two known functions, stabilization of Factor VIII (hemophilic factor A) in the blood, and aiding the adhesion of platelets to the subendothelium, which allows them to provide hemostasis more effectively. If the factor is missing or defective, the patient, whether human or dog, may bleed severely.

The disease is the most common hereditary bleeding disorder in both species, and is genetically and clinically heterogenous. Three clinical types, called 1, 2, and 3 (formerly I, II, and III; see Sadler, J.E. et al., Blood 84:676-679 (1994) for nomenclature changes), have been described. Type 1 vWD is inherited in a dominant, incompletely penetrant fashion. Bleeding appears to be due to the reduced level of vWF rather than a qualitative difference. Although this is the most common form of vWD found in most mammals, and can cause serious bleeding problems, it is generally less severe than the other two types. In addition, a relatively inexpensive vasopressin analog (DDAVP) can help alleviate symptoms (Kraus, K.H. et al., Vet Surg 18:103-109 (1989))

2. Japanic lave essentially formal revent continuous continuous as determined by specialized tests (Ruggen, Z.M., et al., FASEB > 7.308-316 (1993); Brooks, M., Probl In Vet Med 4:636-646 (1992)). This type is also

- 2 -

inherited in a dominant fashion and has only rarely been described in dogs (Turrentine, M.A., et al., \ et Clin North Am Small Anim Pract 18:275 (1988)).

Type 3 vWD is the most severe form of the disease. It is inherited as an autosomal recessive trait, and affected individuals have no detectable vWF in their blood. Serious bleeding episodes require transfusions of blood or cryoprecipitate to supply the missing vWF. Heterozygous carriers have moderately reduced factor concentrations, but generally appear to have normal hemostasis.

Scottish terriers have Type 3 vWD (Dodds, W.J., *Mod Vet Pract* 681-686 (1984); Johnson, G.S. et al., *JAVMA* 176:1261-1263 (1988)). Homozygotes have no detectable vWF and have a severe bleeding disorder. Heterozygotes have reduced levels of the factor, and are clinically normal (Brooks, M. et al., *JAVMA* 200:1123-1127 (1992)). The prevalence of vWD among Scottish terriers including both heterozygotes and homozygotes has been variously estimated from 27-31% (Stokol, T. et al., *Res. Vet. Sci.* 59:152-155 (1995); Brooks, M., *Proc. 9th ACVIM Forum* 89-91 (1991)).

Currently, detection of affected and carrier Scottish terrier dogs is done by vWF antigen testing (Benson, R.E. et al., Am J Vet Res 44:399-403 (1983); Stokol, T. et al., Res. Vet. Sci. 59:152-155 (1995)) or by coagulation assays (Rosborough, T.K. et al., J. Lab. Clin. Med. 96:47-56 (1980); Read, M.S. et al., J. Lab. Clin. Med. 101:74-82 (1983)). These procedures yield variable results, as the protein-based tests can be influenced by such things as sample collection, sample handling, estrous, pregnancy, vaccination, age, and hypothyroidism (Strauss, H.S. et al., New Eng J Med 269:1251-1252 (1963); Bloom, A.L., Mayo Clin Proc 66:743-751 (1991); Stirling, Y. et al., Thromb Haemostasis 52:176-182 (1984); Mansell, P.D. et al., Br. Vet. J. 148:329-337 (1992); Avgeris, S. et al., JAVMA 196:921-924 (1990); Panciera, D.P. et al., JAVMA 205:1550-1553 (1994)). Thus, for example, a dog that tests within the normal range on one day, can test within the carrier range on another day. It is therefore difficult for breeders to use this information.

It would thus be desirable to provide the nucleic acid sequence encoding canine vWF. It would also be desirable to provide the genetic defect responsible for canine vWD. It would further be desirable to obtain the amino acid sequence of canine vWF. It would also be desirable to provide a method for detecting carriers of the defective vWF gene based on the nucleic acid sequence of the normal and defective vWF gene.

20

25

30

SUMMARY OF THE INVENTION

The present invention provides a novel purified and isolated nucleic acid sequence encoding canine vWF. A nucleic acid sequence containing the mutation that causes vWD in Scottish terriers, a single-base deletion in exon 4, is also provided. The nucleic acid sequences of the present invention may be used in methods for detecting carriers of the mutation that causes vWD. Such methods may be used by breeders to reduce the frequency of the disease-causing allele and the incidence of disease. In addition, the nucleic acid sequence of the canine vWF provided herein may be used to determine the genetic defect that causes vWD in other breeds as well as other species.

Additional objects, advantages, and features of the present invention will become apparent from the following description, taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

The various advantages of the present invention will become apparent to one skilled in the art by reading the following specification and by referencing the following drawings in which:

Figures 1A-1C is the nucleic acid sequence of the canine von Willebrand factor of the present invention;

Figures 2A-2C is a comparison of the human and canine prepro-von Willebrand factor amino acid sequences;

Figure 3 provides nucleotide sequencing ladders for the von Willebrand's disease mutation region for normal (clear), carrier, and affected Scottish terriers, the sequences being obtained directly from PCR products derived from genomic DNAs in exon 4;

Figure 4 illustrates the results of a method of the present invention used to detect the Scottish terrier vWD mutation; and

Figure 5 shows the Scottish terrier pedigree, which in turn illustrates segregation of the mutant and normal vWF alleles.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The cDNA encoding canine von Willebrand Factor (vWF) has been sequenced and its sequence is set forth a Experimental vWF gene which causes von Willebrand's Disease (vWD).

- 4 -

a deletion at codon 88 of the normal gene resulting in a frameshift, is also provided. The nucleic acid sequences of the present invention may be used in methods for detecting homozygous and heterozygous carriers of the defective vWF gene.

In a preferred method of detecting the presence of the von Willebrand allele
in canines, DNA samples are first collected by relatively noninvasive techniques, *i.e.*,
DNA samples are obtained with minimal penetration into body tissues of the animals
to be tested. Common noninvasive tissue sample collection methods may be used
and include withdrawing buccal cells via cheek swabs and withdrawing blood
samples. Following isolation of the DNA by standard techniques, PCR is performed
on the DNA utilizing pre-designed primers that produce enzyme restriction sites on
those DNA samples that harbor the defective gene. Treatment of the amplified DNA
with appropriate restriction enzymes such as BsiE I thus allows one to analyze for
the presence of the defective allele. One skilled in the art will appreciate that this
method may be applied not only to Scottish terriers, but to other breeds such as
Shetland sheepdogs and Dutch Kooikers.

Overall, the present invention provides breeders with an accurate, definitive test whereby the undesired vWD gene may be eliminated from breeding lines. The current tests used by breeders are protein-based, and as noted previously, the primary difficulty with this type of test is the variability of results due to a variety of factors. The ultimate result of such variability is that an inordinate number of animals fall into an ambiguous grouping whereby carriers and noncarriers cannot be reliably distinguished. The present invention obviates the inherent limitations of protein-based tests by detecting the genetic mutation which causes vWD. As described in Specific Example 1, the methods of the present invention provide an accurate test for distinguishing noncarriers, homozygous carriers and heterozygous carriers of the defective vWF gene.

It will be appreciated that because the vWF cDNA of the present invention is substantially homologous to vWF cDNA throughout the canine species, the nucleic acid sequences of the present invention may be used to detect DNA mutations in other breeds as well. In addition, the canine vWF sequence presented herein potentially in combination with the established human sequence (Genbank Accession No. X04385, Bonthron, D. et al., Nucleic Acids Res. 14:7125-7128 (1986); Mancuso, D.J. et al., Biochemistry 30:253-269 (1989); Meyer, D. et al., Throm Haemostasis 70:99-104 (1993)), may be used to facilitate sequencing of the vWF

- 5 -

gene and genetic defects causing vWD, in other mammalian species e.g., by using cross-species PCR methods known by those skilled in the art.

It is also within the contemplation of this invention that the isolated and purified nucleic acid sequences of the present invention be incorporated into an appropriate recombinant expression vector, e.g., viral or plasmid, which is capable of transforming an appropriate host cell, either eukaryotic (e.g., mammalian) or prokaryotic (e.g., E. coli). Such DNA may involve alternate nucleic acid forms, such as cDNA, gDNA, and DNA prepared by partial or total chemical synthesis. The DNA may also be accompanied by additional regulatory elements, such as promoters, operators and regulators, which are necessary and/or may enhance the expression of the vWF gene product. In this way, cells may be induced to over-express the vWF gene, thereby generating desired amounts of the target vWF protein. It is further contemplated that the canine vWF polypeptide sequence of the present invention may be utilized to manufacture canine vWF using standard synthetic methods. One skilled in the art will also note that the defective protein encoded by the defective vWF gene of the present invention may also be of use in formulating a complementary diagnostic test for canine vWD that may provide further data in establishing the presence of the defective allele. Thus, production of the defective vWF polypeptide, either through expression in transformed host cells as described above for the active vWF polypeptide or through chemical synthesis, is also contemplated by the present invention.

The term "gene" as to referred herein means a nucleic acid which encodes a protein product. The term "nucleic acid" refers to a linear array of nucleotides and nucleosides, such as genomic DNA, cDNA and DNA prepared by partial or total chemical synthesis from nucleotides. The term "encoding" means that the nucleic acid may be transcribed and translated into the desired polypeptide. "Polypeptide" refers to amino acid sequences which comprise both full-length proteins and fragments thereof. "Mutation" as referred to herein includes any alteration in a nucleic acid sequence including, but not limited to, deletions, substitutions and additions.

As referred to herein, the term "capable of hybridizing under high stringency conditions" means annealing a strand of DNA complementary to the DNA Finders and index attringent conditions. Rewise tapable involved incomplementary to the complementary to the DNA of interest under low stringency conditions. In the present invention, hybridizing

under either high or low stringency conditions would involve hybridizing a nucleic acid sequence (e.g., the complementary sequence to SEQ ID NO: 1 or portion thereof), with a second target nucleic acid sequence. "High stringency conditions" for the annealing process may involve, for example, high temperature and/or low salt content, which disfavor hydrogen bonding contacts among mismatched base pairs. "Low stringency conditions" would involve lower temperature, and/or lower salt concentration than that of high stringency conditions. Such conditions allow for two DNA strands to anneal if substantial, though not near complete complementarity exists between the two strands, as is the case among DNA strands that code for the same protein but differ in sequence due to the degeneracy of the genetic code. Appropriate stringency conditions which promote DNA hybridization, for example, 6X SSC at about 45 °C, followed by a wash of 2X SSC at 50 °C are known to those skilled in the art or can be found in Current Protocols in Molecular Biology, John Wiley & Sons, NY (1989), 6.31-6.3.6. For example, the salt concentration in the wash step can be selected from a low stringency of about 2X SSC at 50 °C to a high stringency of about 0.2X SSC at 50 °C. In addition, the temperature in the wash step can be increased from low stringency at room temperature, about 22 °C, to high stringency conditions, at about 65 °C. Other stringency parameters are described in Maniatis, T., et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory Press, Cold Spring NY, (1982), at pp. 387-389; see also Sambrook J. et al., Molecular Cloning: A Laboratory Manual, Second Edition, Volume 2, Cold Spring Harbor Laboratory Press, Cold Spring, NY at pp. 8.46-8.47 (1989).

SPECIFIC EXAMPLE 1 Materials And Methods

20

25

Isolation of RNA. The source of the RNA was a uterus from a Scottish Terrier affected with vWD (factor level < 0.1% and a clinical bleeder), that was surgically removed because of infection. Spleen tissue was obtained from a Doberman Pinscher affected with vWD that died from dilated cardiomyopathy (factor level 7% and a clinical bleeder). Total RNA was extracted from the tissues using Trizol (Life Technologies, Gaithersburg, MD). The integrity of the RNA was assessed by agarose gel electrophoresis.

Design of PCR primer sets. Primers were designed to a few regions of the gene, where sequences from two species were available (Lavergne, J.M. et al., Biochem Biophys Res Commun 194:1019-1024 (1993); Bakhshi, M.R. et al., Biochem Biophys Acta 1132:325-328 (1992)). These primers were designed using

rules for cross-species' amplifications (Venta et al., "Genes-Specific Universal Mammalian Sequence-Tagged Sites: Application To The Canine Genome" Biochem Genet. (1996) in press). Most of the primers had to be designed to other regions of the gene using the human sequence alone (Mancuso, D.J. et al., Biochemistry 30:253-269 (1991)). Good amplification conditions were determined by using human and canine genomic DNAs.

Reverse Transcriptase-PCR. Total RNA was reverse transcribed using random primers (Bergenhem, N.C.H. et al., PNAS (USA) 89:8789-8802 (1992)). The cDNA was amplified using the primer sets shown to work on canine genomic DNA.

DNA Sequence Analysis. Amplification products of the predicted sizes were isolated from agarose gels by adsorption onto silica gel particles using the manufacturer's method (Qiagen, Chatsworth, CA). Sequences were determined using ³²P-5' end-labeled primers and a cycle sequencing kit (United States Biochemical Corp., Cleveland, OH). The sequences of the 5' and 3' untranslated 15 regions were determined after amplification using Marathon™ RACE kits (Clontech, Palo Alto, CA). Sequences were aligned using the Eugene software analysis package (Lark Technologies, Houston, TX). The sequence of the canine intron four was determined from PCR-amplified genomic DNA.

Design of a Diagnostic Test. PCR mutagenesis was used to create diagnostic and control BsiE I and Sau96 I restriction enzyme sites for the test. Amplification conditions for the test are: 94°C, 1 min, 61°C, 1 min, and 72°C, 1 min, for 50 cycles using cheek swab DNA (Richards, B. et al., Human Molecular Genetics 2:159-163 (1992)).

Population Survey. DNA was collected from 87 Scottish terriers from 16 pedigrees. DNA was isolated either from blood using standard procedures (Sambrook, J. et al., Cold Harbor Spring Lab, Cold Harbor Spring NY, 2nd Edition, (1989)) or by cheek swab samples (Richards, B. et al., Human Molecular Genetics 2:159-163 (1992)). The genetic status of each animal in the survey was determined using the BsiE I test described above.

30

35

10

Results

Comparison of the canine and human sequences. The alignment of the nanine and human prepro von Willebrand Factor amiric acet consider of the consideration gures Level in the location of the Scottish temer WMD mutation is indicated by the Potential N-glycosylation sites are shown in hold type. The known and postulated integrin binding sites are boxed. Amino acid numbers are shown on the

- 8 -

right side of the figure. The human sequence is derived from Genbank accession number X04385 (Bonthron, D. et al., Nucleic Acids Res. 14:7125-7128 (1986)).

Overall, 85.1% sequence identity is seen between the prepro-vWF sequences. The pro-region is slightly less conserved than the mature protein (81.4% 5 vs. 87.5%). There were no other noteworthy percentage sequence identity differences seen in other regions of the gene, or between the known repeats contained within the gene (data not shown). Fourteen potential N-linked glycosylation sites are present in the canine sequence, all of which correspond to similar sites contained within the human sequence. The two integrin binding sites identified in the human vWF protein sequence (Lankhof, H. et al., Blood 86:1035-1042 (1995)) are conserved in the canine sequence as well (Figures 2A-2C). The 5' and 3' untranslated regions have diverged to a greater extent than the coding region (data not shown), comparable to that found between the human and bovine sequences derived for the 5' flanking region (Janel, N. et al., Gene 167:291-295 (1995)). Additional insights into the structure and function of the von Willebrand factor can be gained by comparison of the complete human sequence (Mancuso, D.J. et al., Biochemistry 30:253-269 (1989); Meyer, D. et al., Throm Haemostasis 70:99-104 (1993)) and the complete canine sequence reported here.

15

20

25

30

The sequence for most of exon 28 was determined (Mancuso, D.J. et al., Thromb Haemost 69:980 (1993); Porter, C.A. et al., Mol Phylogenet Evol 5:89-101 (1996)). All three seguences are in complete agreement, although two silent variants have been found in other breeds (Table 1, exon 28). Partial sequences of exons 40 and 41 (cDNA nucleotide numbers 6923 to 7155, from the initiation codon) were also determined as part of the development of a polymorphic simple tandem repeat genetic marker (Shibuya, H. et al., Anim Genet 24:122 (1994)). There is a single nucleotide sequence difference between this sequence ("T") and the sequence of the present invention, ("C") at nucleotide position 6928.

Scottish Terrier vWD mutation. Figure 3 shows nucleotide sequencing ladders for the von Willebrand's Disease mutation region for normal (clear), carrier, and affected Scottish terriers. The sequences were obtained directly from PCR products derived from genomic DNAs in exon 4. The arrowheads show the location of the C nucleotide that is deleted in the disease-causing allele. Note that in the carrier ladder each base above the point of the mutation has a doublet appearance, as predicted for deletion mutations. The factor levels reported for these animals 35 were: Normal, 54%; Carrier, 34%; Affected, <0.1%.

As a result of the deletion, a frameshift mutation at codon 88 leads to a new stop codon 103 bases downstream. The resulting severely truncated protein of 119 amino acids does not include any of the mature von Willebrand factor region. The identity of the base in the normal allele was determined from an unaffected dog.

Development of a diagnostic test. A PCR primer was designed to produce a BsiE I site in the mutant allele but not in the normal allele (Figure 4). The position of the deleted nucleotide is indicated by an asterisk. The altered nucleotides in each primer are underlined. The normal and mutant allele can also be distinguished using Sau96 I. The naturally occurring Sau96 I sites are shown by double underlines. The highly conserved donor and acceptor dinucleotide splice sequences are shown in bold type.

In order to ensure that the restriction enzyme cut the amplified DNA to completion, an internal control restriction site common to both alleles was designed into the non-diagnostic primer. The test was verified by digestion of the DNA from animals that were affected, obligate carriers, or normal (based on high factor levels [greater than 100% of normal] obtained from commonly used testing labs and reported to us by the owners, and also using breeds in which Type 3 vWD has not been observed). The expected results were obtained (e.g., Figure 5). Five vWD-affected animals from a colony founded from Scottish terriers (Brinkhous, K.M. et al., Ann. New York Acad. Sci. 370:191-203 (1981)) were also shown to be homozygous for this mutation. An additional unaffected animal from this same colony was found to be clear.

It would still be possible to misinterpret the results of the test if restriction enzyme digestion was not complete, and if the rates of cleavage of the cont778rol and diagnostic sites were vastly different. The rates of cleavage of the two *BsI*E I sites were thus examined by partially digesting the PCR products and running them on capillary electrophoresis. The rates were found to be very nearly equal (the diagnostic site is cut 12% faster than the control site).

The mutagenesis primer was also designed to produce a Sau96 I site into the normal allele but not the mutant allele. This is the reverse relationship compared to the BsÆ I-dependent test, with respect to which allele is cut. Natural internal Sau96

TYMPE CONDUCED STRATICAL DENOTYPIC COSCIPIC COMPLY)

5

examined (data not shown)

A possible mutation in the Doberman Pinscher gene. The complete Scottish termer sequence was compared to the complete Doberman Pinscher sequence. Several nucleotide differences were found and were compared to the nucleotides found in the same position in the human sequence as shown in Table 1 below. Most of these changes were silent. However, of three amino acid changes, one is relatively non-conservative (F905L) and is proposed to be the mutation that causes Doberman Pinscher vWD. Other data strongly suggest that the nucleotide interchange at the end of exon 43 causes a cryptic splice site to be activated reducing the amount of normally processed mRNA, with a concomitant decrease in the amount of vWF produced.

Mendelian inheritance. One test often used to verify the correct identification of a mutant allele is its inheritance according to Mendel's law of segregation. Three pedigrees were examined in which the normal and mutant alleles were segregating, as shown in Figure 5. Exon four of the vWF gene was PCR-amplified from genomic DNA. The PCR products were examined for the presence of the normal and mutant vWF alleles by agarose gel electrophoresis after digestion with BsÆ I (see Figure 5). The affected animals are homozygous for the mutant allele (229 bp; lanes 3 and 5). The other animals in this pedigree are heterozygotes (251 bp and 229 bp; lanes 1, 2, 4, and 6), including the obligate carrier parents.

20

Table 1 - Differences Between Scottie And Doberman Protein And Nucleotide von Willebrand Factor Sequences With Comparison To The Human Sequences

				Amino Acid			Codon	
	Exon	^AA'	Human	Scotte	Doberman	Human	Scottie	Doberman
5	5' UT2	nuc - 353	N/A ⁴	N/A	N/A	N/A	A	G
	4	85	S	S/F.Shrit ³	s	TCC	тсслтс_	TCC
	5	173	M	R	к	ATG	AGG	AAG
	11	422	s	т	T	TCC	ACA	ACC
	21	898	c	С	c	TGC	TGT	TGC
10	21	905	F	F	L	Ш	ттс	TTA
	24	1041	s	s	\$	TCA	TCA	TCG
	24	1042	s	s	S	TCC	TCC	TCA
	28	1333	D	D	E	GAC	GAC	GAG
	28	1349	Y	Y	Y	TAT	TAT	TAC*
5	42	2381	P	L	Ρ	ccc	CTG	ccG
	43	2479	s	s	s	TCG	TCG	TCA
	45	2555	P	P	P	ccc	ccc	ccg
	47	2591	Р	P	P	ccc	ССТ	ccc
	49	2672	D	D	D	GAT	GAT	GAC
0	51	2744	E	Ε	E	GAG	GAG	GAA

¹Amino acid residue position

Boxed residues show amino acid differences between breeds

The alleles, as typed by both the BsiE I and Sau96 I tests, showed no inconsistencies with Mendelian inheritance. One of these pedigrees included two affected animals, two phenotypically normal siblings, and the obligate carrier parents.

²Untranslated region

³Nucleotide position

⁴Not Applicable

^{25 &}lt;sup>5</sup>Frameshift mutation

^{*}This site has been shown to be polymorphic in some breeds

The mature VWF protein begins in exon 18

The two parents were found to be betteroning with both two parents were found to be nomozygous to the mutant alleled and the define sublings were sund to be heterozygotes.

- 12 -

Population survey for the mutation. Cheek swabs or blood samples were collected from 87 animals in order to determine the incidence of carriers in the U.S Scottish terrier population. Although we attempted to make the sample as random as possible, these dogs were found to come from 16 pedigrees, several of which are more distantly interconnected. This is due to some ascertainment bias, based on ownership (as opposed to phenotypic ascertainment bias). In these 87 animals four affected and 15 carrier animals were found.

Discussion

These results establish that the single base deletion found in exon four of the vWF gene causes vWD in the Scottish terrier breed. The protein produced from the mutant allele is extremely short and does not include any of the mature vWF protein. Four Scottish terriers known to be affected with the disease are homozygous for the mutation. Five other mixed-breed dogs descended from Scottish terriers, and affected with vWD, are also homozygous for the mutation. No normal animals are homozygous for the mutation. Unaffected obligate carriers are always heterozygous for the mutation.

The gene frequency, as determined from the population survey, appears to be around 0.13 resulting in a heterozygote frequency of about 23% and expected frequency of affected animals of about 2%. Although the sample size is relatively small and somewhat biased, these data are in general agreement with the protein-based surveys (Stokol, T. et al., Res Vet Sci 59:152-155 (1995); Brooks, M., Probl In Vet Med 4:636-646 (1992)), in that the allele frequency is substantial.

20

30

All data collected thus far indicate that this mutation accounts for essentially all of the von Wilebrand's disease found in Scottish terriers. This result is consistent with the results found for other genetic diseases, defined at the molecular level, in various domestic animals (Shuster, D.E. et al., PNAS (USA) 89:9225-9229 (1992); Rudolph, J.A. et al., Nat Genet 2:144-147 (1992); O'Brien, P.J. et al., JAVMA 203:842-851 (1993)). A likely explanation may be found in the pronounced founder effect that occurs in domestic animals, compared to most human and wild animal populations.

Published data using the protein-based factor assays have shown that, at least in several instances, obligate carriers have had factor levels that would lead to a diagnosis of "clear" of the disease allele. For example, in one study an obligate carrier had a factor level of 78% (Johnson, G.S. et al., *JAVMA* 176:1261-1263 (1980)). In another study, at least some of the obligate carriers had factor levels of

65% or greater (Brinkhous, K.M. et al., Ann. New York Acad. Sci. 370.191-203 (1981)). In addition, the number of animals that fall into an equivocal range can be substantial. In one study, 19% of Scottish terriers fell in this range (50-65% of the normal vWF antigen level) (Stokol, T. et al., Res Vet Sci 59:152-155 (1995)). Thus, although the protein-based tests have been useful, the certainty of the DNA-based test described herein should relieve the necessity of repeated testing and the variability associated with the protein-based assays.

The mutation is present in the pre-vWF part of the molecule. This part of the molecule is processed off prior to delivery of the mature protein into the plasma. This pre-portion of the molecule is important for the assembly of the mature vWF protein (Verwiej, L. et al., EBMO J 6:2885-2890 (1987); Wise, R.J. et al., Cell 52:229-236 (1988)). With the Scottish terrier frameshift vWD mutation, neither this pre-portion nor any of the mature factor is ever produced, in keeping with the fact that no factor has ever been detected in the blood of affected dogs.

15

The determination of the complete canine vWF cDNA sequence will have an impact upon the development of carrier tests for other breeds and other species as well. Currently, Shetland sheepdogs and Dutch Kooikers are known to have a significant amount of Type 3 vWD (Brooks, M. et al., JAVMA 200:1123-1127 (1992); Slappendel, R.J., Vet-Q 17:S21-S22 (1995)). Type 3 vWD has occasionally be seen in other breeds as well (e.g., Johnson, G.S. et al., JAVMA 176:1261-1263 (1980)). All Type 3 vWD mutations described in humans to date have been found within the vWF gene itself. The availability of the canine sequence will make it easier to find the mutations in these breeds. In addition, at least some Type 1 mutations have been found within the human vWF gene, and thus Type 1 mutations may also be 25 found within the vWF gene for breeds affected with that form of the disease. The availability of two divergent mammalian vWF cDNA sequences will also make it much easier to sequence the gene from other mammalian species using crossspecies PCR methods (e.g., Venta et al., Biochem. Genet. (1996) in press).

The test described herein for the detection of the mutation in Scottish terriers 30 may be performed on small amounts of DNA from any tissue. The tissues that are the least invasive to obtain are blood and buccal cells. For maximum convenience, a cheek swab as a source of DNA is preferred

regoine isoussion isouse in ascribe: abodiments of the present invention. One skilled in the art will readily recognize from such discussion, and from the accompanying drawings, that various changes,

- 14 -

modifications and variations can be made therein without departing from the spirit and scope of the invention

All patents and other publications cited herein are expressly incorporated by reference.

PCT/US97/12606 WO 98/03683

- 15 -

SEQUENCE LISTING

- (1) GENERAL INFORMATION:
 - (i) APPLICANT: Venta, Patrick J

Yuzbasiyan-Gurkan, Vilma

Schall, William D

Brewer, George J

- (ii) TITLE OF INVENTION: DNA ENCODING CANINE VON WILLEBRAND FACTOR AND METHODS OF USE
- (111) NUMBER OF SEQUENCES: 2
- (1V) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Harness, Dickey & Pierce, P.L.C.
 - (B) STREET: 5445 Corporate Drive
 - (C) CITY: Troy
 - (D) STATE: Michigan
 - (E) COUNTRY: USA
 - (F) ZIP: 48098
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Smith, DeAnn F.
 - (C) REFERENCE/DOCKET NUMBER: 211501226PCA
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 248-641-1600
 - (B) TELEFAX: 248-641-0270 (C) TELEX: 287637
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8802 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: CDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SEMSE: NO
 - (1x) FEATURE:

(A) NAME/KEY CDS

¥17.7°₹

TOOUTO TANTE STANDARD TO STAND THEE INFORMATION

standard name= *vWF*

- 16 -

(x) PUBLICATION INFORMATION:

(A) AUTHORS: Venta, Patrick J. Li, Jianping Yuzbasiyan-Gurkan, Vilma
Schall, William D.
Brewer, George J.

(B) TITLE: Von Willebrand's Disease in the Scottish

- Terrier is Caused by a Single Base Deletion in
 Exon Four of the von Willebrand Factor Gene
 (C) JOURNAL: Journal of the American Veterinary Medicine Association

(G) DATE: 1996

(K) RELEVANT RESIDUES IN SEQ ID NO:1: FROM 1 TO 8802

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

CATTAAAAGG TCCTGGCTGG GAGCTTTTTT TTGGGACCAG CACTCCATGT TCAAGGGCAA	60
ACAGGGGCCA ATTAGGATCA ATCTTTTTC TTTCTTTTTT TAAAAAAAAA AATTCTTCCC	120
ACTITGCACA CGGACAGTAG TACATACCAG TAGCTCTCTG CGAGGACGGT GATCACTAAT	180
CATTTCTCCT GCTTCGTGGC AG ATG AGT CCT ACC AGA CTT GTG AGG GTG CTG Met Ser Pro Thr Arg Leu Val Arg Val Leu 1 5 10	232
CTG GCT CTG GCC CTC ATC TTG CCA GGG AAA CTT TGT ACA AAA GGG ACT Leu Ala Leu Ala Leu Ile Leu Pro Gly Lys Leu Cys Thr Lys Gly Thr 15 20 25	280
GTT GGA AGG TCA TCG ATG GCC CGA TGT AGC CTT CTC GGA GGT GAC TTC Val Gly Arg Ser Ser Met Ala Arg Cys Ser Leu Leu Gly Gly Asp Phe 30 35 40	328
ATC AAC ACC TTT GAT GAG AGC ATG TAC AGC TTT GCG GGA GAT TGC AGT Ile Asn Thr Phe Asp Glu Ser Met Tyr Ser Phe Ala Gly Asp Cys Ser	376
TAC CTC CTG GCT GGG GAC TGC CAG GAA CAC TCC ATC TCA CTT ATC GGG Tyr Leu Leu Ala Gly Asp Cys Gln Glu His Ser Ile Ser Leu Ile Gly 60 65 70	424
GGT TTC CAA AAT GAC AAA AGA GTG AGC CTC TCC GTG TAT CTC GGA GAA Gly Phe Gln Asn Asp Lys Arg Val Ser Leu Ser Val Tyr Leu Gly Glu 75 80 85 90	472
TTT TTC GAC ATT CAT TTG TTT GTC AAT GGT ACC ATG CTG CAG GGG ACC Phe Phe Asp Ile His Leu Phe Val Asn Gly Thr Met Leu Gln Gly Thr 95 100 105	520
CAA AGC ATC TCC ATG CCC TAC GCC TCC AAT GGG CTG TAT CTA GAG GCC Gln Ser Ile Ser Met Pro Tyr Ala Ser Asn Gly Leu Tyr Leu Glu Ala 110 115 120	568
GAG GCT GGC TAC TAC AAG CTG TCC AGT GAG GCC TAC GGC TTT GTG GCC Glu Ala Gly Tyr Tyr Lys Leu Ser Ser Glu Ala Tyr Gly Phe Val Ala 125	616
AGA ATT GAT GGC AAT GGC AAC TTT CAA GTC CTG CTG TCA GAC AGA TAC Arg Ile Asp Gly Asn Gly Asn Phe Gln Val Leu Leu Ser Asp Arg Tyr 140 145 150	664
TTC AAC AAG ACC TGT GGG CTG TGT GGC AAC TTT AAT ATC TTT GCT GAG Phe Asn Lys Thr Cys Gly Leu Cys Gly Asn Phe Asn Ile Phe Ala Glu 155 160 170	712

- 17 -

					Gln	GAA Glu				Thr						760
						CTG Leu										808
						CCA Pro										856
						TGC Cys 225										904
						GTG Val										952
						TGT Cys										1000
						CGG Ar g										1048
						AGC Ser										1096
						GTG Val 305										1144
						TGT Cys		_	_		_					1192
						CTG Leu			_							1240
						GCT Ala										1288
_	_		_	_		ACC Thr	_		_	_	_	_	_	_		1336
						CCA Pro 385										1384
						AAC Asn										1432
C⊅√	TAC	CILC	CTG.	GCC	CAG	GAC	TG∩	CAG	^AD	ሮልባ	תרת	سنمند	-	ستك	-سن	
						Ai a										2 +-

- 18 -

TCG Ser	GTC Val	ACC Thr 445	GTC Val	CGC Arg	CTG Leu	CCT Pro	GGA Gly 450	CAT His	CAC His	AAC Asn	AGC Ser	CTT Leu 455	GTG Val	AAG Lys	CTG Leu	1576
												ATC Ile				1624
												ATG Met				1672
CGC Arg	CTC Leu	AGC Ser	TAC Tyr	GGG Gly 495	GAG Glu	GAC Asp	CTG Leu	CAG Gln	ATG Met 500	GAT Asp	TCG Ser	GAC Asp	GTC Val	CGG Arg 505	GGC Gly	1720
AGG Arg	CTA Leu	CTG Leu	GTG Val 510	ACG Thr	CTG Leu	TAC Tyr	CCC Pro	GCC Ala 515	TAC Tyr	GCG Ala	GGG Gly	AAG Lys	ACG Thr 520	TGC Cys	GGC Gly	1768
Arg	Gly	Gly 525	Asn	Tyr	Asn	Gly	Asn 530	Arg	Gly	Asp	Asp	TTC Phe 535	Val	Thr	Pro	1816
Ala	Gly 540	Leu	Ala	Glu	Pro	Leu 545	Val	Glu	qaA	Phe	Gly 550	AAC Asn	Ala	Trp	Lys	1864
Le u 555	Leu	Gly	Ala	Cys	Glu 560	Asn	Leu	Gln	Lys	Gln 565	His	CGC Arg	As p	Pro	Сув 570	1912
Ser	Leu	Asn	Pro	A rg 575	Gln	Ala	Arg	Phe	Ala 580	Glu	Glu	GCG Ala	Сув	Ala 585	Leu	1960
Leu	Thr	Ser	Ser 590	Lys	Phe	Glu	Pro	Сув 595	His	Arg	Ala	GTG Val	Gly 600	Pro	Gln	2008
Pro	Tyr	Val 605	Gln	Asn	Cys	Leu	Tyr 610	Asp	Val	Сув	Ser	TGC Cys 615	Ser	Asp	Gly	2056
Arg	Asp 620	Сув	Leu	Сув	Ser	Ala 625	Val	Ala	na A	Tyr	Ala 630	GCA Ala	Ala	Val	Ala	2104
Arg 635	Arg	Gly	Val	His	Ile 640	Ala	Trp	Arg	Glu	Pro 645	Gly	TTC Phe	Сув	Ala	Leu 650	2152
Ser	Сув	Pro	Gln	Gly 655	Gln	Val	Tyr	Leu	Gln 660	Сув	Gly	ACC Thr	Pro	Сув 665	As n	2200
Met	Thr	Сув	Leu 670	Ser	Leu	Ser	Tyr	Pro 675	Glu	Glu	Asp	TGC Cys	Asn 680	Glu	Val	2248
Cys	Leu	Glu 685	Ser	Сув	Phe	Ser	Pro 690	Pro	Gly	Leu	Tyr	CTG Leu 695	Asp	Glu	Arg	2296
GGA Gly	GAT Asp 700	TGT Cys	GTG Val	CCC Pro	AAG Lys	GCT Ala 705	CAG Gln	TGT Cys	CCC Pro	TGT Cys	TAC Tyr 710	TAT	GAT Asp	GGT Gly	GAG Glu	2344

- 19 -

												ACC Thr				2392
												GGC Gly				2440
												CAC His				2488
												GTG Val 775				2536
												ACC Thr				2584
												GGC Gly				2632
												GCG Ala				2680
												GGA Gly				2728
												AAG Lys 855				2776
												GGC Gly				2824
					_							GGG Gly	_			2872
												GGG Gly				2920
												GTG Val				2968
												GAA Glu 935				3016
												ACT Thr				3064
GTG	GTA	GAG	TCT	GGT	C A G	TAC	11. C	¥ Am	سنت	: نابلت	<u>⊶</u> ~	3 4	••		-pre-	
∵. Jei	77.		TGG	GAU	CAC	ن ن	<u>س</u> ر پ	AG.	ATC	لمسكلة	ത്ത	ACC	ΩTG.	AAG	ce :	કું ક્ર

- <u>2</u>0 -

ACA TAC CAG Thr Tyr Gln	GAG CAG GTG Glu Gln Val 990	TGT GGC CTG TGT Cys Gly Leu Cys 995	GGG AAT TTT GAT Gly Asn Phe Asn	Gly Ile
CAG AAC AAT Gln Asn Asn 100	Asp Phe Thr	AGC AGC AGC CTC Ser Ser Ser Leu 1010	CAA ATA GAA GAA Gln Ile Glu Glu 1015	A GAC CCT 3256 A Asp Pro
GTG GAC TTT Val Asp Phe 1020	Gly Asn Ser	TGG AAA GTG AAC Trp Lys Val Asn 1025	CCG CAG TGT GCC Pro Gln Cys Ala 1030	GAC ACC 3304 Asp Thr
AAG AAA GTA Lys Lys Val 1035	CCA CTG GAC Pro Leu Asp 1040	Ser Ser Pro Ala	GTC TGC CAC AAC Val Cys His Ass 1045	2 AAC ATC 3352 1 Asn Ile 1050
ATG AAG CAG Met Lys Gln	ACG ATG GTG Thr Met Val 1055	GAT TCC TCC TGC Asp Ser Ser Cys 106	AGG ATC CTC ACC Arg lle Leu Thi 0	AGT GAT 3400 Ser Asp 1065
ATT TTC CAG Ile Phe Gln	GAC TGC AAC Asp Cys Asn 1070	AGG CTG GTG GAC Arg Leu Val Asp 1075	CCT GAG CCA TTO Pro Glu Pro Phe 108	Leu Asp
ATT TGC ATC Ile Cys Ile 108	Tyr Asp Thr	TGC TCC TGT GAG Cys Ser Cys Glu 1090	TCC ATT GGG GAC Ser Ile Gly Asr 1095	TGC ACC 3496 Cys Thr
TGC TTC TGT Cys Phe Cys 1100	Asp Thr Ile	GCT GCT TAC GCC Ala Ala Tyr Ala 1105	CAC GTC TGT GCC His Val Cys Ala 1110	CAG CAT 3544 Gln His
GGC AAG GTG Gly Lys Val 1115	GTA GCC TGG . Val Ala Trp . 1120	AGG ACA GCC ACA Arg Thr Ala Thr	TTC TGT CCC CAG Phe Cys Pro Glr 1125	AAT TGC 3592 Asn Cys 1130
GAG GAG CGG Glu Glu Arg	ART CTC CAC Asn Leu His 1135	GAG AAT GGG TAT Glu Asn Gly Tyr 114	GAG TGT GAG TGC Glu Cys Glu Trp 0	CGC TAT 3640 Arg Tyr 1145
AAC AGC TGT Asn Ser Cys	GCC CCT GCC Ala Pro Ala 1150	TGT CCC ATC ACG Cys Pro Ile Thr 1155	TGC CAG CAC CCC Cys Gln His Pro	Glu Pro
CTG GCA TGC Leu Ala Cys 116	Pro Val Gln	TGT GTT GAA GGT CyB Val Glu Gly 1170	TGC CAT GCG CAC Cys His Ala His 1175	TGC CCT 3736 Cys Pro
	Ile Leu Asp		ACC TGC ATC GAC Thr Cys Ile Asp 1190	
GAC TGT CCT Asp Cys Pro 1195	GTG TGT GAG Val Cys Glu 1200	Val Ala Gly Arg	CGC TTG GCC CCI Arg Leu Ala Pro 1205	A GGA AAG 3832 O Gly Lys 1210
AAA ATC ATC Lys Ile Ile	TTG AAC CCC Leu Asn Pro 1215	AGT GAC CCT GAG Ser Asp Pro Glu 122	CAC TGC CAA AT His Cys Gln Ile 0	TGT AAT 3880 Cys Asn 1225
TGT GAT GGT Cys Asp Gly	GTC AAC TTC Val Asn Phe 1230	ACC TGT AAG GCC Thr Cys Lys Ala 1235	TGC AGA GAA CC Cys Arg Glu Pro 12	Gly Ser
GTT GTG GTG				

- 21 -

		Asp					Pro					His		AGC Ser		4024
	Leu					Leu					Ser			TCT Ser		4072
					Leu					Val				GAG Glu 130	Hıs	4 120
				Gln					Val					TAC Tyr 0		4168
			His					Leu					Arg	CCC Pro		4216
		Arg					Gln					Gly		GAG Glu		4264
	Ser					Leu					Phe			TTT Phe		4312
					Glu					Ala				ATG Met 1389	Ala	4360
				Ser					r.sn					GTG Val		4408
			Lys					Val					Ile	GGG Gly		4456
		Ser					His					Gln		CCT Pro		4504
	Lys					Ser					Leu			CGA Arg		4552
_				_	Tyr	_	_	_	_	Ala	_		_ •	CCT Pro 1469	Ala	4600
CCT Pro	ACT Thr	CAG Gln	CAC His 1470	Pro	CCA Pro	ATG Met	GCC Ala	CAG Gln 1475	Val	ACG Thr	GTG Val	GGT Gly	TCG Ser 1480	GAG Glu	CTG Leu	4648
			Ser					Lys					Val	CTG Leu		4696
نش	GIV	TTT	GTC	ىلك	GAA	GGG	TY T3.	GAC	AAA	يم الم	سئۍ	ገዳዮ	750	B A C	-	
AA.																4 (%)

GGC CAG GAC AGG Gly Gln Asp Arg	ATC CAC GTC AC	A GTG CTG CAG r Val Leu Gln 1540	Tyr Ser Tyr Me	G GTG 4840 t Val 45
ACC GTG GAG TAC Thr Val Glu Tyr 155	ACC TTC AGC GAG Thr Phe Ser Glo	G GCG CAG TCC 1 Ala Gln Ser 1555	AAG GGC GAG GT Lys Gly Glu Va 1560	C CTA 4888 l Leu
CAG CAG GTG CGG Gln Gln Val Arg 1565	GAT ATC CGA TAG Asp Ile Arg Tyr 15	Arg Gly Gly	AAC AGG ACC AA Asn Arg Thr As 1575	C ACT 4936 n Thr
GGA CTG GCC CTG Gly Leu Ala Leu 1580	CAA TAC CTG TCG Gln Tyr Leu Sei 1585	GAA CAC AGC Glu His Ser	TTC TCG GTC AG Phe Ser Val Se 1590	C CAG 4984 r Gln
GGG GAC CGG GAG Gly Asp Arg Glu 1595	CAG GTA CCT AAG Gln Val Pro Ass 1600	CTG GTC TAC Leu Val Tyr 1605	Met Val Thr Gl	A AAC 5032 y Asn 1610
CCC GCT TCT GAT Pro Ala Ser Asp	GAG ATC AAG CGC Glu Ile Lys Arg 1615	Met Pro Gly 1620	GAC ATC CAG GT Asp Ile Gln Va 16	l Val
CCC ATC GGG GTG Pro Ile Gly Val 163	GGT CCA CAT GCC Gly Pro Hi s Al a O	AAT GTG CAG Asn Val Gln 1635	GAG CTG GAG AA Glu Leu Glu Ly 1640	G ATT 5128 s Ile
Gly Trp Pro Asn 1645	165	lle His Asp	Phe Glu Met Lei 1655	ı Pro
Arg Glu Ala Pro 1660	1665	Gln Arg Cys	Cys Ser Gly Gli 1670	ı Gly
CTG CAG ATC CCC Leu Gln Ile Pro 1675	ACC CTC TCC CCC Thr Leu Ser Pro 1680	ACC CCA GAT Thr Pro Asp 1685	Cys Ser Gln Pro	CTG 5272 Leu 1690
GAT GTG GTC CTC Asp Val Val Leu	CTC CTG GAT GGC Leu Leu Asp Gly 1695	TCT TCC AGC Ser Ser Ser 1700	ATT CCA GCT TC: Ile Pro Ala Ser 170	r Tyr
TTT GAT GAA ATG Phe Asp Glu Met 1710	Lys Ser Phe Thr	Lys Ala Phe 1715	Ile Ser Arg Ala 1720	Asn
ATA GGG CCC CGG Ile Gly Pro Arg 1725	CTC ACT CAA GTG Leu Thr Gln Val	Ser Val Leu	CAA TAT GGA AGG Gln Tyr Gly Se: 1735	C ATC 5416 r Ile
ACC ACT ATC GAT Thr Thr Ile Asp 1740	Val Pro Trp Ass 1745	GTA GCC TAT	GAG AAA GTC CA Glu Lys Val Hi 1750	r TTA 5464 s Leu
1755	GAC CTC ATG CAC Asp Leu Met Glr 1760	Gln Glu Gly 1765	Gly Pro Ser Gl	u Ile 1770
GIY ASP ATA LEU	AGC TTT GCC GTC Ser Phe Ala Val 1775	Arg Tyr Val 1780	Thr Ser Glu Va 17	l His 85
GGT GCC AGG CCC Gly Ala Arg Pro 179	GGA GCC TCG AAA Gly Ala Ser Ly:	GCG GTG GTT Ala Val Val 1795	ATC CTA GTC AC Ile Leu Val Th 1800	A GAT 5608 r Asp

GT Va	C TC	C GT(r Va)	l Asp	TCA Ser	A GTG	G GAT L Asp	GC: Ala 181	ı Ala	A GCC A Ala	GAC Glu	G GC0	GCG A Ala 181	Arg	A TC	C AAC r Asn	5656
CG. Arg	A GT0 g Val 182	l Thi	A GTG Val	Phe	CCC Pro	ATT Ile 182	Gly	ATO / Ile	GGC Gly	GAT Asp	CGC Arg 183	ј Туг	AG' Se	r Gl	G GCC	5704
CAC Glr 181	ı Let	G AGO	AGC Ser	TTG Leu	GCA Ala 184	Gly	CCA Pro	AAG Lys	GCT Ala	GGC Gly 184	Ser	AAT Asn	ATC Met	GT/ Val	A AGG L Arg 1850	5 7 52
CT(Let	CAC 1 Glr	CGA Arg	ATT	GAA Glu 185	q z A .	CTC Leu	CCC Pro	ACC Thr	GTG Val 186	Ala	ACC Thr	CTG Leu	GG# Gly	AA1 / Asr 186		5800
TTC Phe	TTC Phe	CAC His	Lys 187	Leu	TGC Cys	TCT Ser	GGG Gly	TTT Phe 187	Asp	AGA Arg	GTT Val	TGC Cys	GTG Val 188	Asp	GAG Glu	5848
GAT As p	Gly GGG	AAT Asn 188	GAG Glu 5	AAG Lys	AGG Arg	CCC Pro	GGG Gly 189	qeA	GTC Val	TGG Trp	ACC Thr	TTG Leu 189	Pro	GAC Asp	CAG Gln	5896
TGC Cys	CAC His 190	Thr	GTG Val	ACT Thr	TGC Cys	CTG Leu 190	Pro	GAT As p	GGC Gly	CAG Gln	ACC Thr 191	Leu	CTG Leu	AAG Lys	AGT Ser	5944
CAT His 191	Arg	GTC Val	AAC Asn	TGT Cys	GAC Asp 1920	Arg	GGG Gly	CCA Pro	AGG Arg	CCT Pro 1925	Ser	TGC Сув	CCC Pro	AAT Asn	GGC Gly 1930	5992
CAG Gln	CCC Pro	CCT Pro	CTC Leu	AGG Arg 1935	Val	GAG Glu	GAG Glu	ACC Thr	TGT Cys 1940	Gly	TGC Cys	CGC Arg	TGG Trp	ACC Thr 194	Cys	6040
CCC Pro	TGT Cys	GTG Val	TGC Cys 1950	Met	GGC Gly	AGC Ser	TCT Ser	ACC Thr 1955	Arg	CAC His	ATC Ile	GTG Val	ACC Thr 196	Phe	GAT Asp	6088
GGG Gly	CAG Gln	AAT Asn 1965	TTC Phe	AAG Lys	CTG Leu	ACT Thr	GGC Gly 1 97 0	Ser	TGT Cys	TCG Ser	TAT Tyr	GTC Val 1975	Leu	TTT Phe	CAA Gln	6136
AAC Asn	AAG Lys 1980	GIu	CAG Gln	GAC Asp	CTG Leu	GAG Glu 1985	Val	ATT Ile	CTC Leu	Gln	AAT Asn 1990	Gly	GCC Ala	TGC Cys	AGC Ser	6184
CCT Pro 1999	GIA	GCG Ala	AAG Lys	Glu	ACC Thr 2000	Сув	ATG Met	AAA Lys	Ser	ATT Ile 2005	Glu	GTG Val	AAG Lys	CAT His	GAC Asp 2010	6232
GGC Gly	CTC Leu	TCA Ser	GTT - Val	GAG Glu 2015	Leu	CAC His	AGT Ser	GAC As p	ATG Met 2020	Gln	ATG Met	ACA Thr	GTG Val	AAT Asn 2025	Gly	6280
AGA Arg	CTA Leu	GTC Val	TCC . Ser 2030	lle	CCA Pro	TAT Tyr	Val	GGT Gly 2035	Gly	GAC Asp	ATG Met	Glu	GTC Val 2040	Asn	GTT Val	6328
TAT	GGG	ACC	h TC				~~~	B C B				~~~				
	505		AIC,	ATY	TAT	GAG) _E .	Mi 15	11.	ית מ		,	¥:			

AGG ACC TTT GCT Arg Thr Phe Ala 2075	TTCG AAG ACA Ser Lys Thr 2080	TAT GGT CTC Tyr Gly Leu	TGT GGG ATC TGT Cys Gly Ile Cys 2085	GAT GAG 6472 Asp Glu 2090
AAC GGA GCC AAT Asn Gly Ala Asr	GAC TTC ATT Asp Phe Ile 2095	CTG AGG GAT Leu Arg Asp 2100	GGG ACA GTC ACC Gly Thr Val Thr	ACA GAC 6520 Thr Asp 2105
TGG AAG GCA CTC Trp Lys Ala Leu 211	ı Ile Gln Glu	TGG ACC GTA Trp Thr Val 2115	CAG CAG CTT GGG Gln Gln Leu Gly 212	Lys Thr
TCC CAG CCT GTC Ser Gln Pro Val 2125	CAT GAG GAG His Glu Glu	CAG TGT CCT Gln Cys Pro 2130	GTC TCC GAA TTC Val Ser Glu Phe 2135	TTC CAC 6616 Phe His
TGC CAG GTC CTC Cys Gln Val Leu 2140	CTC TCA GAA Leu Ser Glu 2149	Leu Phe Ala	GAG TGC CAC AAG Glu Cys His Lys 2150	GTC CTC 6664 Val Leu
GCT CCA GCC ACC Ala Pro Ala Thr 2155	TTT TAT GCC Phe Tyr Ala 2160	ATG TGC CAG Met Cys Gln	CCC GAC AGT TGC Pro Asp Ser Cys 2165	CAC CCG 6712 His Pro 2170
AAG AAA GTG TGT Lys Lys Val Cys	GAG GCG ATT Glu Ala Ile 2175	GCC TTG TAT Ala Leu Tyr 2180	Ala His Leu Cys	CGG ACC 6760 Arg Thr 2185
AAA GGG GTC TGT Lys Gly Val Cys 219	Val Asp Trp	AGG AGG GCC Arg Arg Ala 2195	AAT TTC TGT GCT Asn Phe Cys Ala 220	Met Ser
TGT CCA CCA TCC Cys Pro Pro Ser 2205	CTG GTG TAC Leu Val Tyr	AAC CAC TGT Asn His Cys 2210	GAG CAT GGC TGC Glu His Gly Cys 2215	CCT CGG 6856 Pro Arg
CTC TGT GAA GGC Leu Cys Glu Gly 2220	AAT ACA AGC Asn Thr Ser 2225	Ser Cys Gly	GAC CAA CCC TCG Asp Gln Pro Ser 2230	GAA GGC 6904 Glu Gly
TGC TTC TGC CCC Cys Phe Cys Pro 2235	CCA AAC CAA Pro Asn Gln	GTC ATG CTG	GAA GGT AGC TGT	GTC CCC 6952
	2240		Glu Gly Ser Cys 2245	Val Pro 2250
GAG GAG GCC TGT Glu Glu Ala Cye	ACC CAG TGC	ATC AGC GAG	Glu Gly Ser Cys 2245 GAT GGA GTC CGG Asp Gly Val Arg	Val Pro 2250
GAG GAG GCC TGT Glu Glu Ala Cys TTC CTG GAA ACC Phe Leu Glu Thr 227	ACC CAG TGC Thr Gln Cys 2255 TGG GTC CCA Trp Val Pro	ATC AGC GAG Ile Ser Glu . 2260	Glu Gly Ser Cys 2245 GAT GGA GTC CGG Asp Gly Val Arg	Val Pro 2250 CAC CAG 7000 His Gln 2265 TGC ACG 7048 Cys Thr
TTC CTG GAA ACC Phe Leu Glu Thr	ACC CAG TGC Thr Gln Cy8 2255 TGG GTC CCA Trp Val Pro 0 CGG AAG GTC	ATC AGC GAG Ile Ser Glu . 2260 GCC CAC CAG Ala His Gln 2275	Glu Gly Ser Cys 2245 GAT GGA GTC CGG Asp Gly Val Arg CCT TGC CAG ATC Pro Cys Gln Ile 228	Val Pro 2250 CAC CAG 7000 His Gln 2265 TGC ACG 7048 Cys Thr
TTC CTG GAA ACC Phe Leu Glu Thr 227 TGC CTC AGT GGG Cys Leu Ser Gly	ACC CAG TGC Thr Gln Cys 2255 TGG GTC CCA Trp Val Pro 0 CGG AAG GTC Arg Lys Val	ATC AGC GAG Ile Ser Glu 2260 GCC CAC CAG Ala His Gln 2275 AAC TGT ACG Asn Cys Thr 2290 CCG TGT GAA Pro Cys Glu	Glu Gly Ser Cys 2245 GAT GGA GTC CGG Asp Gly Val Arg CCT TGC CAG ATC Pro Cys Gln Ile 228 TTG CAG CCC TGC Leu Gln Pro Cys 2295	Val Pro 2250 CAC CAG His Gln 2265 TGC ACG Cys Thr CCC ACA Pro Thr
TTC CTG GAA ACC Phe Leu Glu Thr 227 TGC CTC AGT GGG Cys Leu Ser Gly 2285 GCC AAA GCT CCC Ala Lys Ala Pro	ACC CAG TGC Thr Gln Cys 2255 TGG GTC CCA Trp Val Pro 0 CGG AAG GTC Arg Lys Val ACC TGT GGC Thr Cys Gly 2305	ATC AGC GAG Ile Ser Glu 2260 GCC CAC CAG Ala His Gln 2275 AAC TGT ACG ASN Cys Thr 2290 CCG TGT GAA Pro Cys Glu GAG TAC GAG	Glu Gly Ser Cys 2245 GAT GGA GTC CGG Asp Gly Val Arg CCT TGC CAG ATC Pro Cys Gln Ile 228 TTG CAG CCC TGC Leu Gln Pro Cys 2295 GTG GCC CGC CTC Val Ala Arg Leu 2310 TGT GTG TGT GAC	Val Pro 2250 CAC CAG 7000 His Gln 2265 TGC ACG 7048 Cys Thr CCC ACA 7096 Pro Thr CGC CAG 7144 Arg Gln

ACC CTG ACC Thr Leu Thr	AAT CCT GGC Asn Pro Gly 2350	GAG TGC AGA Glu Cys Arg 23!	g Pro Asn Phe	C ACC TGT GCC TG Thr Cys Ala Cy 2360	C 7288 s
AGG AAG GAT Arg Lys Asp 236	Glu Cys Arg	CGG GAG TCG Arg Glu Ser 2370	C CCG CCC TCT Pro Pro Ser	TGT CCC CCG CAC Cys Pro Pro His 2375	7336 5
CGG ACG CCG Arg Thr Pro 2380	Ala Leu Arg	AAG ACT CAC Lys Thr Glr 2385	G TGC TGT GAT Cys Cys Asp 239	GAG TAT GAG TG Glu Tyr Glu Cyr O	7384 5
GCA TGC AAC Ala Cys Asn 2395	TGT GTC AAC Cys Val Asn 2400	Ser Thr Val	AGC TGC CCG Ser Cys Pro 2405	CTT GGG TAC CTC Leu Gly Tyr Leu 241	1
GCC TCG GCT Ala Ser Ala	GTC ACC AAC Val Thr Asn 2415	GAC TGT GGC Asp Cys Gly	TGC ACC ACA Cys Thr Thr 2420	ACA ACC TGC TTC Thr Thr Cys Phe 2425	7480
CCT GAC AAG Pro Asp Lys	GTG TGT GTC (Val Cys Val 1 2430	CAC CGA GGC His Arg Gly 243	Thr Ile Tyr	CCT GTG GGC CAG Pro Val Gly Gln 2440	7528
TTC TGG GAG Phe Trp Glu 2445	Glu Ala Cys A	GAC GTG TGC Asp Val Cys 2450	ACC TGC ACG Thr Cys Thr	GAC TTG GAG GAC Asp Leu Glu Asp 2455	7576
TCT GTG ATG Ser Val Met 2460	Gly Leu Arg \	GTG GCC CAG Val Ala Gln 2465	TGC TCC CAG Cys Ser Gln 2470	AAG CCC TGT GAG Lys Pro Cys Glu	7624
GAC AAC TGC Asp Asn Cys 2475	CTG TCA GGC 1 Leu Ser Gly F 2480	TTC ACT TAT Phe Thr Tyr	GTC CTT CAT Val Leu His 2485	GAA GGC GAG TGC Glu Gly Glu Cys 249	7672 0
TGT GGA AGG	TGT CTG CCA T Cys Leu Pro S 2495	CCT GCC TGT Ger Ala Cys	GAG GTG GTC Glu Val Val 2500	ACT GGT TCA CCA Thr Gly Ser Pro 2505	7720
Arg Gly Asp	GCC CAG TCT C Ala Gln Ser H 2510	CAC TGG AAG His Trp Lys 251!	Asn Val Gly	TCT CAC TGG GCC Ser His Trp Ala 2520	7768
TCC CCT GAC 2 Ser Pro Asp 2 2525	AAC CCC TGC C Asn Pro Cys L	TC ATC AAT eu 11e Asn 2530	GAG TGT GTC Glu Cys Val	CGA GTG AAG GAA Arg Val Lys Glu 2535	7816
GAG GTC TTT (Glu Val Phe 1 2540	Val Gln Gln A	AGG AAT GTC Arg Asn Val	TCC TGC CCC Ser Cys Pro 2550	CAG CTG AAT GTC Gln Leu Asn Val	7864
CCC ACC TGC (Pro Thr Cys 1 2555	CCC ACG GGC T Pro Thr Gly P 2560	TC CAG CTG The Gln Leu	AGC TGT AAG Ser Cys Lys 2565	ACC TCA GAG TGT Thr Ser Glu Cys 2570	7912
TGT CCC ACC C	TGT CAC TGC G Cys His Cys G 2575	AG CCC CTG	GAG GCC TGC Glu Ala Cys 2580	TTG CTC AAT GGT Leu Leu Asn Gly 2585	7960
ACC ATC ATT (aga nna aga A	نسب سنع علا	The same of the	6C	
, TO, A , Arg Dys 1 2605	ACC STS ECG S Thr Val Pro V	TO GGA GTC al Gly Val 2610	ATO TOT GGA Ile Ser Gly	TTC AAG CTG CAU Phe Lys Leu Glu 2615	ile.

- 26 -

GGC Gly	AGG Arg 262	Lys	ACC Thr	ACC Thr	TGT Cys	GAG Glu 262	Ala	TGC Cys	Pro	CTG Leu	GGT Gly 263	Tyr	AA G Lys	GAA Glu	GAG Glu	8104
AAG Lys 2639	Asn	CAA Gln	GGT Gly	GAA Glu	TGC Cys 264	Сув	GGG Gly	AGA Arg	TGT Cys	CTG Leu 264	Pro	ATA Ile	GCT Ala	TGC Cys	ACC Thr 2650	8152
ATT Ile	CAG Gln	CTA Leu	AGA Arg	GGA Gly 265	Gly	CAG Gln	ATC Ile	ATG Met	ACA Thr 266	Leu	AAG Lys	CGT Arg	GAT Asp	GAG Glu 266		8200
ATC Ile	CAG Gln	GAT Asp	GGC Gly 267	Суѕ	GAC Asp	AGT Ser	CAC His	TTC Phe 267	Cys	AAG Lys	GTC Val	AAT Asn	GAA Glu 268	Arg	GGA Gly	8248
GAG Glu	TAC Tyr	ATC Ile 268	Trp	GAG Glu	AAG Lys	AGA Arg	GTC Val 269	Thr	GGT Gly	TGC Cys	CCA Pro	CCT Pro 269	Phe	GAT Asp	GAA Glu	8296
CAC His	AAG Lys 2700	Cys	CTG Leu	GCT Ala	GAG Glu	GGA Gly 270	Gly	AAA Lys	ATC Ile	ATG Met	AAA Lys 271	Ile	CCA Pro	GGC Glγ	ACC Thr	8344
TGC Cys 2715	Сув	GAC Asp	ACA Thr	TGT Cys	GAG Glu 2720	Glu	CCA Pro	GAA Glu	TGC Cys	AAG Lys 2729	As p	ATC Ile	ATT Ile	GCC Ala	AA G Lys 2730	8392
CTG Leu	CAG Gln	CGT Arg	GTC Val	AAA Lys 2735	Val	GGA Gly	GAC Asp	TGT Cys	AAG Lys 2740	Ser	GAA Glu	GAG Glu	GAA Glu	GTG Val 2745	Asp	8440
ATT Ile	CAT His	TAC Tyr	TGT Cys 2750	Glu	GGT Gly	AAA Lys	TGT Cys	GCC Ala 2759	Ser	AAA Lys	GCC Ala	GTG Val	TAC Tyr 2760	Ser	ATC Ile	8488
CAC . His !	ATG Met	GAG Glu 2765	Asp	GTG Val	CAG Gln	GAC Asp	CAG Gln 2770	TGC Cys	TCC Ser	TGC Cys	TGC Cys	TCG Ser 2775	Pro	ACC Thr	CAG Gln	8536
Inr	GAG Glu 2780	Pro	ATG Met	CAG Gln	GTG Val	GCC Ala 2789	Leu	CGC Arg	TGC Cys	ACC Thr	AAT Asn 2790	Gly	TCC Ser	CTC Leu	ATC Ile	8584
TAC Tyr 1 2795	418	GAG Glu	ATC Ile	CTC Leu	AAT Asn 2800	Ala	ATC Ile	GAA Glu	TGC Cys	AGG Arg 2805	Cys	TCC Ser	CCC Pro	AGG Arg	AAG Lys 2810	8632
TGC . Cys :	AGC Ser	AAG Lys	TGAG	GCCA	CT	ccr	GATO	C 17	CTGT	regee	TGO	CTTA	rccc			8681
GACCTCACTG GACTGGCCAG AGTGCTGCTC AGTCCTCCTC CTGCTCTGCT													8741			
CTTGTGCTTC CTGATCCCAC AATAAAGGTC AATCTTTCAC CTTGAAAAAA AAAAAAAAAA												8801				
A																8802

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:

 (A) LENGTH: 2813 amino acids

 (B) TYPE: amino acid

 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

(x1) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Ser Pro Thr Arg Leu Val Arg Val Leu Leu Ala Leu Ala Leu Ile 1 5 15 Leu Pro Gly Lys Leu Cys Thr Lys Gly Thr Val Gly Arg Ser Ser Met Ala Arg Cys Ser Leu Leu Gly Gly Asp Phe Ile Asn Thr Phe Asp Glu 35 40 45 Ser Met Tyr Ser Phe Ala Gly Asp Cys Ser Tyr Leu Leu Ala Gly Asp 50 60 Cys Gln Glu His Ser Ile Ser Leu Ile Gly Gly Phe Gln Asn Asp Lys 65 70 75 80 Arg Val Ser Leu Ser Val Tyr Leu Gly Glu Phe Phe Asp Ile His Leu Phe Val Asn Gly Thr Met Leu Gln Gly Thr Gln Ser Ile Ser Met Pro Tyr Ala Ser Asn Gly Leu Tyr Leu Glu Ala Glu Ala Gly Tyr Tyr Lys 115 120 125 Leu Ser Ser Glu Ala Tyr Gly Phe Val Ala Arg Ile Asp Gly Asn Gly 130 140 Asn Phe Gln Val Leu Leu Ser Asp Arg Tyr Phe Asn Lys Thr Cys Gly Leu Cys Gly Asn Phe Asn Ile Phe Ala Glu Asp Asp Phe Lys Thr Gln Glu Gly Thr Leu Thr Ser Asp Pro Tyr Asp Phe Ala Asn Ser Trp Ala 180 185 190 Leu Ser Ser Gly Glu Gln Arg Cys Lys Arg Val Ser Pro Pro Ser Ser Pro Cys Asn Val Ser Ser Asp Glu Val Gln Gln Val Leu Trp Glu Gln Cys Gln Leu Leu Lys Ser Ala Ser Val Phe Ala Arg Cys His Pro Leu Val Asp Pro Glu Pro Phe Val Ala Leu Cys Glu Arg Thr Leu Cys Thr Cys Val Gln Gly Met Glu Cys Pro Cys Ala Val Leu Leu Glu Tyr Ala Arg Ala Cys Ala Gln Gln Gly Ile Val Leu Tyr Gly Trp Thr Asp His 275 280 285 Ser Val Cys Arg Pro Ala Cys Pro Ala Gly Met Glu Tyr Lys Glu Cys 290 300 Val Ser Pro Cys Thr Arg Thr Cys Gln Ser Leu His Val Lys Glu Val 305

^{. . .} Asp Glu di, His dys val ary Ser Ard Gru Cys Ser Cys Val His 340 345

Ala Gly Gln Arg Tyr Pro Pro Gly Ala Ser Leu Leu Gln Asp Cys His 360 Thr Cys Ile Cys Arg Asn Ser Leu Trp Ile Cys Ser Asn Glu Glu Cys Pro Gly Glu Cys Leu Val Thr Gly Gln Ser His Phe Lys Ser Phe Asp Asn Arg Tyr Phe Thr Phe Ser Gly Val Cys His Tyr Leu Leu Ala Gln Asp Cys Gln Asp His Thr Phe Ser Val Val Ile Glu Thr Val Gln Cys Ala Asp Asp Leu Asp Ala Val Cys Thr Arg Ser Val Thr Val Arg Leu Pro Gly His His Asn Ser Leu Val Lys Leu Lys Asn Gly Gly Val 455 Ser Met Asp Gly Gln Asp Ile Gln Ile Pro Leu Leu Gln Gly Asp Leu Arg Ile Gln His Thr Val Met Ala Ser Val Arg Leu Ser Tyr Gly Glu 485 Asp Leu Gln Met Asp Ser Asp Val Arg Gly Arg Leu Leu Val Thr Leu Tyr Pro Ala Tyr Ala Gly Lys Thr Cys Gly Arg Gly Gly Asn Tyr Asn 520 Gly Asn Arg Gly Asp Asp Phe Val Thr Pro Ala Gly Leu Ala Glu Pro 535 Leu Val Glu Asp Phe Gly Asn Ala Trp Lys Leu Leu Gly Ala Cys Glu Asn Leu Gln Lys Gln His Arg Asp Pro Cys Ser Leu Asn Pro Arg Cln Ala Arg Phe Ala Glu Glu Ala Cys Ala Leu Leu Thr Ser Ser Lys Phe Glu Pro Cys His Arg Ala Val Gly Pro Gln Pro Tyr Val Gln Asn Cys Leu Tyr Asp Val Cys Ser Cys Ser Asp Gly Arg Asp Cys Leu Cys Ser Ala Val Ala Asn Tyr Ala Ala Ala Val Ala Arg Arg Gly Val His Ile Ala Trp Arg Glu Pro Gly Phe Cys Ala Leu Ser Cys Pro Gln Gly Gln Val Tyr Leu Gln Cys Gly Thr Pro Cys Asn Met Thr Cys Leu Ser Leu Ser Tyr Pro Glu Glu Asp Cys Asn Glu Val Cys Leu Glu Ser Cys Phe Ser Pro Pro Gly Leu Tyr Leu Asp Glu Arg Gly Asp Cys Val Pro Lys 695

Ala 705		Cys	Pro	Cys	Tyr 710		Asp	Gly	Glu	11e 715		Glr	Pro	Glu	720
Ile	Phe	Ser	Asp	His 725		Thr	Met	Cys	Tyr 730		Glu	Asp	Gly	Phe 735	
His	Cys	Thr	Thr 740		Gly	Gly	Leu	Gly 7 4 5		Leu	Leu	Pro	A sn 750		Val
Leu	Ser	Ser 7 5 5		Arg	Cys	His	Arg 760	Ser	Lys	Arg	Ser	Leu 765		Cys	Arg
Pro	Pro 770	Met	Val	Lys	Leu	Val 775	Cys	Pro	Ala	Asp	As n 7 8 0		Arg	Ala	Glu
Gly 785	Leu	Glu	Cys	Ala	Lys 790	Thr	Сув	Gln	Asn	Tyr 795	Asp	Leu	Gln	Cys	Met 800
Ser	Thr	Gly	Cys	Val 805	Ser	Gly	Cys	Leu	Cys 810	Pro	Gln	Gly	Met	Val 815	Arg
His	Glu	Asn	Arg 820	cys	Val	Ala	Leu	Glu 825	Arg	Cys	Pro	Cys	Phe 830	His	Gln
Gly	Gln	Glu 835	Tyr	Ala	Pro	Gly	Glu 840	Thr	Val	Lys	Ile	Asp 845	Cys	Asn	Thr
Cys	Val 850	Cys	Arg	Asp	Arg	Lys 855	Trp	Thr	Cys	Thr	Asp 860	His	Val	Cys	Asp
Ala 865	Thr	Cys	Ser	Ala	Ile 870	Gly	Met	Ala	His	Tyr 875	Leu	Thr	Phe	Asp	Gly 880
Leu	Lys	Tyr	Leu	Phe 885	Pro	Gly	Glu	Сув	Gln 890	Tyr	Val	Leu	Val	Gln 895	Авр
Tyr	Cys	Gly	Ser 900	Asn	Pro	Gly	Thr	Leu 905	Arg	Ile	Leu	Val	Gly 910	Asn	Glu
Gly	Сув	Ser 915	Tyr	Pro	Ser	Val	Lys 920	Cys	Lys	Lys	Arg	Val 925	Thr	Ile	Leu
Val	Glu 930	Gly	Gly	Glu	Ile	Glu 935	Leu	Phe	As p	Gly	Glu 940	Val	Asn	Val	Lys
Lув 9 4 5	Pro	Met	Lys	qaA	Glu 950	Thr	His	Phe	Glu	Val 955	Val	Glu	Ser	Gly	Gln 960
Tyr	Val	Ile	Leu	Leu 965	Leu	Gly	Lys	Ala	Leu 970	Ser	Val	Val	Trp	As p 97 5	
Arg	Leu	Ser	11e 980	Ser	Val	Thr	Leu	Lув 985	Arg	Thr	Tyr	Gln	Glu 990	Gln	Val
Суз	Gly	Le u 995	Сув	Gly	Asn	Phe	As p 1000	Gly	Ile	Gln	Asn	Asn 100		Phe	Thr
Ser	Ser 1010	Ser	Leu	Gln	Ile	Glu 1019	Glu	Asp	Pro	Val	Asp		Gly	Asn	Ser

WO 98/03683

- 30 -

Asp Ser Ser Cys Arg Ile Leu Thr Ser Asp Ile Phe Gln Asp Cys Asn 1060 1065 1070

Arg Leu Val Asp Pro Glu Pro Phe Leu Asp Ile Cys Ile Tyr Asp Thr 1075 1080 1085

Cys Ser Cys Glu Ser Ile Gly Asp Cys Thr Cys Phe Cys Asp Thr Ile 1090 1095 1100

Ala Ala Tyr Ala His Val Cys Ala Gln His Gly Lys Val Val Ala Trp 1105 1110 1115 1120

Arg Thr Ala Thr Phe Cys Pro Gln Asn Cys Glu Glu Arg Asn Leu His 1125 1130 1135

Glu Asn Gly Tyr Glu Cys Glu Trp Arg Tyr Asn Ser Cys Ala Pro Ala 1140 1145 1150

Cys Pro Ile Thr Cys Gln His Pro Glu Pro Leu Ala Cys Pro Val Gln 1155 1160 1165

Cys Val Glu Gly Cys His Ala His Cys Pro Pro Gly Lys Ile Leu Asp 1170 1175 1180

Val Ala Gly Arg Arg Leu Ala Pro Gly Lys Lys Ile Ile Leu Asn Pro 1205 1210 1215

Ser Asp Pro Glu His Cys Gln Ile Cys Asn Cys Asp Gly Val Asn Phe 1220 1225 1230

Thr Cys Lys Ala Cys Arg Glu Pro Gly Ser Val Val Pro Pro Thr 1235 1240 1245

Asp Gly Pro Ile Gly Ser Thr Thr Ser Tyr Val Glu Asp Thr Ser Glu 1250 1260

Pro Pro Leu His Asp Phe His Cys Ser Arg Leu Leu Asp Leu Val Phe 1265 1270 1275 1280

Leu Leu Asp Gly Ser Ser Lys Leu Ser Glu Asp Glu Phe Glu Val Leu 1285 1290 1295

Lys Val Phe Val Val Gly Met Met Glu His Leu His Ile Ser Gln Lys 1300 1305 1310

Arg Ile Arg Val Ala Val Val Glu Tyr His Asp Gly Ser His Ala Tyr 1315 1320 1325

Ile Glu Leu Lys Asp Arg Lys Arg Pro Ser Glu Leu Arg Arg Ile Thr 1330 1335 1340

Ser Gln Val Lys Tyr Ala Gly Ser Glu Val Ala Ser Thr Ser Glu Val 1345 1350 1355 1360

Leu Lys Tyr Thr Leu Phe Gln Ile Phe Gly Lys Ile Asp Arg Pro Glu 1365 1370 1375

Ala Ser Arg Ile Ala Leu Leu Leu Met Ala Ser Gln Glu Pro Ser Arg 1380 1385 1390

Leu Ala Arg Asn Leu Val Arg Tyr Val Gln Gly Leu Lys Lys Lys 1395 1400 1405

- 31 -

Val Ile Val Ile Pro Val Gly Ile Gly Pro His Ala Ser Leu Lys Gln 1410 1415 1420

Ile His Leu Ile Glu Lys Gln Ala Pro Glu Asn Lys Ala Phe Val Phe 1425 1430 1435 1446

Ser Gly Val Asp Glu Leu Glu Gln Arg Arg Asp Glu Ile Ile Asn Tyr 1445 1450 1455

Leu Cys Asp Leu Ala Pro Glu Ala Pro Ala Pro Thr Gln His Pro Pro 1460 1465 1470

Met Ala Gln Val Thr Val Gly Ser Glu Leu Leu Gly Val Ser Ser Pro 1475 1480 1485

Gly Pro Lys Arg Asn Ser Met Val Leu Asp Val Val Phe Val Leu Glu 1490 1495 1500

Gly Ser Asp Lys Ile Gly Glu Ala Asn Phe Asn Lys Ser Arg Glu Phe 1505 1510 1515 1520

Met Glu Glu Val Ile Gln Arg Met Asp Val Gly Gln Asp Arg Ile His 1525 1530 1535

Val Thr Val Leu Gln Tyr Ser Tyr Met Val Thr Val Glu Tyr Thr Phe 1540 1545 1550

Ser Glu Ala Gln Ser Lys Gly Glu Val Leu Gln Gln Val Arg Asp Ile 1555 1560 1565

Arg Tyr Arg Gly Gly Asn arg Thr Asn Thr Gly Leu Ala Leu Gln Tyr 1570 1580

Leu Ser Glu His Ser Phe Ser Val Ser Gln Gly Asp Arg Glu Gln Val 1585 1590 1595 1600

Pro Asn Leu Val Tyr Met Val Thr Gly Asn Pro Ala Ser Asp Glu Ile 1605 1610 1615

Lys Arg Met Pro Gly Asp Ile Gln Val Val Pro Ile Gly Val Gly Pro 1620 1625 1630

His Ala Asn Val Glu Leu Glu Lys Ile Gly Trp Pro Asn Ala Pro 1635 1640 1645

Ile Leu Ile His Asp Phe Glu Met Leu Pro Arg Glu Ala Pro Asp Leu 1650 1655 1660

Val Leu Gln Arg Cys Cys Ser Gly Glu Gly Leu Gln Ile Pro Thr Leu 1665 1670 1675 1680

Ser Pro Thr Pro Asp Cys Ser Gln Pro Leu Asp Val Val Leu Leu Leu 1685 1690 1695

Asp Gly Ser Ser Ser Ile Pro Ala Ser Tyr Phe Asp Glu Met Lys Ser 1700 1705 1710

Phe Thr Lys Ala Phe Ile Ser Arg Ala Asn Ile Gly Pro Arg Leu Thr 1715 1720 1725

Gln Val Ser Val Leu Gln Tvr Glv Ser Tle Thr Thr Tle hor val ho

- 32 -

- Met Gln Glu Gly Gly Pro Ser Glu Ile Gly Asp Ala Leu Ser Phe 1765 1770 1775
- Ala Val Arg Tyr Val Thr Ser Glu Val His Gly Ala Arg Pro Gly Ala 1780 1785 1790
- Ser Lys Ala Val Val Ile Leu Val Thr Asp Val Ser Val Asp Ser Val 1795 1800 1805
- Asp Ala Ala Ala Glu Ala Ala Arg Ser Asn Arg Val Thr Val Phe Pro 1810 1815 1820
- Ile Gly Ile Gly Asp Arg Tyr Ser Glu Ala Gln Leu Ser Ser Leu Ala 1825 1830 1835 1840
- Gly Pro Lys Ala Gly Ser Asn Met Val Arg Leu Gln Arg Ile Glu Asp 1845 1850 1855
- Leu Pro Thr Val Ala Thr Leu Gly Asn Ser Phe Phe His Lys Leu Cys 1860 1865 1870
- Ser Gly Phe Asp Arg Val Cys Val Asp Glu Asp Gly Asn Glu Lys Arg 1875 1880 1885
- Pro Gly Asp Val Trp Thr Leu Pro Asp Gln Cys His Thr Val Thr Cys 1890 1895 1900
- Leu Pro Asp Gly Gln Thr Leu Leu Lys Ser His Arg Val Asn Cys Asp 1905 1910 1915 1920
- Arg Gly Pro Arg Pro Ser Cys Pro Asn Gly Gln Pro Pro Leu Arg Val 1925 1930 1935
- Glu Glu Thr Cys Gly Cys Arg Trp Thr Cys Pro Cys Val Cys Met Gly 1940 1945 1950
- Ser Ser Thr Arg His Ile Val Thr Phe Asp Gly Gln Asn Phe Lys Leu 1955 1960 1965
- Thr Gly Ser Cys Ser Tyr Val Leu Phe Gln Asn Lys Glu Gln Asp Leu 1970 1975 1980
- Glu Val Ile Leu Gln Asn Gly Ala Cys Ser Pro Gly Ala Lys Glu Thr 1985 1990 1995 2000
- Cys Met Lys Ser Ile Glu Val Lys His Asp Gly Leu Ser Val Glu Leu 2005 2010 2015
- His Ser Asp Met Gln Met Thr Val Asn Gly Arg Leu Val Ser Ile Pro 2020 2025 2030
- Tyr Val Gly Gly Asp Met Glu Val Asn Val Tyr Gly Thr Ile Met Tyr 2035 2040 2045
- Glu Val Arg Phe Asn His Leu Gly His Ile Phe Thr Phe Thr Pro Gln 2050 2055 2060
- Asn Asn Glu Phe Gln Leu Gln Leu Ser Pro Arg Thr Phe Ala Ser Lys 2065 2070 2075 2080
- Thr Tyr Gly Leu Cys Gly Ile Cys Asp Glu Asn Gly Ala Asn Asp Phe 2085 2090 2095
- Ile Leu Arg Asp Gly Thr Val Thr Thr Asp Trp Lys Ala Leu Ile Gln 2100 2105 2110

- Glu Trp Thr Val Gln Gln Leu Gly Lys Thr Ser Gln Pro Val His Glu 2115 2120 2125
- Glu Gln Cys Pro Val Ser Glu Phe Phe His Cys Gln Val Leu Leu Ser 2130 2135 2140
- Glu Leu Phe Ala Glu Cys His Lys Val Leu Ala Pro Ala Thr Phe Tyr 2145 2150 2155 2160
- Ala Met Cys Gln Pro Asp Ser Cys His Pro Lys Lys Val Cys Glu Ala 2165 2170 2175
- Ile Ala Leu Tyr Ala His Leu Cys Arg Thr Lys Gly Val Cys Val Asp 2180 2185 2190
- Trp Arg Arg Ala Asn Phe Cys Ala Met Ser Cys Pro Pro Ser Leu Val 2195 2200 2205
- Tyr Asn His Cys Glu His Gly Cys Pro Arg Leu Cys Glu Gly Asn Thr 2210 2221 2220
- Ser Ser Cys Gly Asp Gln Pro Ser Glu Gly Cys Phe Cys Pro Pro Asn 2225 2230 2235 2240
- Gln Val Met Leu Glu Gly Ser Cys Val Pro Glu Glu Ala Cys Thr Gln 2245 2250 2255
- Cys Ile Ser Glu Asp Gly Val Arg His Gln Phe Leu Glu Thr Trp Val 2260 2265 2270
- Pro Ala His Gln Pro Cys Gln Ile Cys Thr Cys Leu Ser Gly Arg Lys 2275 2280 2285
- Val Asn Cys Thr Leu Gln Pro Cys Pro Thr Ala Lys Ala Pro Thr Cys 2290 2295 2300
- Gly Pro Cys Glu Val Ala Arg Leu Arg Gln Asn Ala Val Gln Cys Cys 2305 2310 2315 2320
- Pro Glu Tyr Glu Cys Val Cys Asp Leu Val Ser Cys Asp Leu Pro Pro 2325 2330 2335
- Val Pro Pro Cys Glu Asp Gly Leu Gln Met Thr Leu Thr Asn Pro Gly 2340 2345 2350
- Glu Cys Arg Pro Asn Phe Thr Cys Ala Cys Arg Lys Asp Glu Cys Arg 2355 2360 2365
- Arg Glu Ser Pro Pro Ser Cys Pro Pro His Arg Thr Pro Ala Leu Arg 2370 2375 2380
- Lys Thr Gln Cys Cys Asp Glu Tyr Glu Cys Ala Cys Asn Cys Val Asn 2385 2390 2395 2400
- Ser Thr Val Ser Cys Pro Leu Gly Tyr Leu Ala Ser Ala Val Thr Asn 2405 2410 2415
- Asp Cys Gly Cys Thr Thr Thr Cys Phe Pro Asp Lys Val Cys Val 2420 2425 2430

.46€

His Ard Gly Thr Ile Tvr Pro Val Gly Glo phe Tro Gly Glo el

1450

- Val Ala Gln Cys Ser Gln Lys Pro Cys Glu Asp Asn Cys Leu Ser Gly 2470 2475 2480
- Phe Thr Tyr Val Leu His Glu Gly Glu Cys Cys Gly Arg Cys Leu Pro 2485 2490 2495
- Ser Ala Cys Glu Val Val Thr Gly Ser Pro Arg Gly Asp Ala Gln Ser 2500 2505 2510
- His Trp Lys Asn Val Gly Ser His Trp Ala Ser Pro Asp Asn Pro Cys 2515 2520 2525
- Leu Ile Asn Glu Cys Val Arg Val Lys Glu Glu Val Phe Val Gln Gln 2530 2540
- Arg Asn Val Ser Cys Pro Gln Leu Asn Val Pro Thr Cys Pro Thr Gly 2545 2550 2555 2560
- Phe Gln Leu Ser Cys Lys Thr Ser Glu Cys Cys Pro Thr Cys His Cys 2575
- Glu Pro Leu Glu Ala Cys Leu Leu Asn Gly Thr Ile Ile Gly Pro Gly 2580 2585 2590
- Lys Ser Leu Met Ile Asp Val Cys Thr Thr Cys Arg Cys Thr Val Pro 2595 2600 2605
- Val Gly Val Ile Ser Gly Phe Lys Leu Glu Gly Arg Lys Thr Thr Cys 2610 2615 2620
- Glu Ala Cys Pro Leu Gly Tyr Lys Glu Glu Lys Asn Gln Gly Glu Cys 2625 2630 2635 2640
- Cys Gly Arg Cys Leu Pro Ile Ala Cys Thr Ile Gln Leu Arg Gly Gly 2645 2650 2655
- Gln Ile Met Thr Leu Lys Arg Asp Glu Thr Ile Gln Asp Gly Cys Asp 2660 2665 2670
- Ser His Phe Cys Lys Val Asn Glu Arg Gly Glu Tyr Ile Trp Glu Lys 2675 2680 2685
- Arg Val Thr Gly Cys Pro Pro Phe Asp Glu His Lys Cys Leu Ala Glu 2690 2695 270G
- Gly Gly Lys Ile Met Lys Ile Pro Gly Thr Cys Cys Asp Thr Cys Glu 2705 2710 2715 2720
- Glu Pro Glu Cys Lys Asp Ile Ile Ala Lys Leu Gln Arg Val Lys Val 2725 2730 2735
- Gly Asp Cys Lys Ser Glu Glu Glu Val Asp Ile His Tyr Cys Glu Gly 2740 2745 2750
- Lys Cys Ala Ser Lys Ala Val Tyr Ser Ile His Met Glu Asp Val Gln 2755 2760 2765
- Asp Gln Cys Ser Cys Cys Ser Pro Thr Gln Thr Glu Pro Met Gln Val 2770 2775 2780
- Ala Leu Arg Cys Thr Asn Gly Ser Leu Ile Tyr His Glu Ile Leu Asn 2785 2790 2795 2800
- Ala Ile Glu Cys Arg Cys Ser Pro Arg Lys Cys Ser Lys 2805 2810

WE CLAIM:

- 1 An isolated nucleic acid comprising a nucleotide sequence encoding canine von Willebrand Factor polypeptide.
- 2. The isolated nucleic acid of Claim 1, wherein the nucleotide sequence 5 is capable of hybridizing under high stringency conditions to SEQ ID NO. 1.
 - The isolated nucleic acid of Claim 1, wherein the nucleotide sequence encodes the Scottish terrier von Willebrand Factor polypeptide.
 - 4. The isolated nucleic acid of Claim 2, wherein the nucleotide sequence encodes the Scottish terrier von Willebrand Factor polypeptide.
- 10 5. A vector comprising the nucleic acid of Claim 1.
 - 6. A vector comprising the nucleic acid of Claim 2.
 - 7. A cell comprising the vector of Claim 5.
 - 8. A cell comprising the vector of Claim 6.
- An isolated nucleic acid comprising a nucleotide sequence encoding
 defective canine von Willebrand Factor polypeptide.
 - 10. The isolated nucleic acid of Claim 9, wherein the nucleotide sequence is capable of hybridizing under high stringency conditions to the complement of SEQ ID NO. 1 having a base deletion at codon 88.
 - 11. A vector comprising the nucleic acid of Claim 9.
- 20 12. A vector comprising the nucleic acid of Claim 10.

at comprising the years light

14 A cell comprising the vector of Claim 12.

10

15

20

- 15. An isolated oligonucleotide sequence consisting of contiguous nucleic acids of the nucleotide sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene.
- 16. An isolated oligonucleotide sequence consisting of contiguous nucleic acids of the nucleotide sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene.
 - 17. A method of detecting a canine von Willebrand Factor gene in a sample comprising the steps of:
 - a) contacting the sample with a oligonucleotide comprising contiguous nucleic acids of the nucleotide sequence of SEQ ID NO. 1 and capable of specifically hybridizing with the canine von Willebrand Factor gene, under conditions favorable for hybridization of the oligonucleotide to any complementary sequences of nucleic acid in the sample; and
 - b) detecting hybridization, thereby detecting a canine von Willebrand Factor gene.
 - 18. The method of Claim 17, further comprising the step of:
 - c) quantifying hybridization of the oligonucleotide to complementary sequence.
 - 19. The method of Claim 17, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.
 - 20. An assay kit for screening for a canine von Willebrand Factor gene comprising:
- an oligonucleotide comprising contiguous nucleic acids of the nucleotide sequence of SEQ ID NO. 1 and capable of hybridizing with the canine von Willebrand Factor gene;
 - b) reagents for hybridization of the oligonucleotide to a complementary nucleic acid sequence; and
- 30 c) container means for a)-b).

5

10

20

- 21. A method of detecting a canine von Willebrand Factor gene in a sample comprising the steps of.
 - a) contacting the sample with an oligonucleotide comprising contiguous nucleic acids of the nucleotide sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing to the complementary nucleotide sequence, under conditions favorable for hybridization of the oligonucleotide to any complementary sequences of nucleic acid in the sample; and
- b) detecting hybridization, thereby detecting a canine von Willebrand Factor gene.
 - 22. The method of Claim 21, further comprising the step of
 - c) quantifying hybridization of the oligonucleotide to complementary sequences.
- 15 23. The method of Claim 21, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.
 - 24. An assay kit for screening for a canine von Willebrand Factor gene comprising:
 - an oligonucleotide comprising contiguous acids from the nucleotide sequence that is complementary to the sequence of SEQ ID NO. 1 and capable of specifically hybridizing to the complementary nucleotide sequence;
 - b) reagents for hybridization of the oligonucleotide to a complementary nucleic acid sequence; and
- c) container means for a)-b).
 - 25. The assay kit of Claim 24, wherein in SEQ ID NO. 1 there is a base deletion at codon 88.

5

10

- 26. A method for detecting a mutated canine von Willebrand Factor gene in a canine DNA sample comprising the steps of:
 - a) amplifying the DNA sample by polymerase chain reaction to produce polymerase chain reaction products, wherein the polymerase chain reaction uses primers that produce a restriction site in a mutant allele but not in a normal allele;
 - b) digesting the polymerase chain reaction products with a restriction enzyme specific to the restriction site of the restriction site primer to produce DNA fragments; and
 - c) detecting the DNA fragments, thereby detecting a mutated canine von Willebrand Factor gene.
 - 27. The method of Claim 26, wherein the primers are those of Figure 4.
- 28. The method of Claim 26, wherein the DNA fragments are detected by gel electrophoresis.
- 15 29. The method of Claim 27, wherein the restriction enzyme is Bs/EI.
 - 30. The method of Claim 27, wherein the restriction enzyme is Sau96 I.
 - 31. An oligonucleotide probe capable of detecting a mutation associated with canine von Willebrand's disease, wherein the mutation is a base deletion at codon 88 of the canine von Willebrand Factor gene.

FIGURE 1A

1	CATTAANAGG	TCCTGGCTGG	GAGCTTTTTT	TTGGGACCAG	CACTCCATGT	TCAAGGGCAA
61	ACAGGGGCCA	ATTAGGATCA	ATCTTTTTTC	TITCTTTTT	TAAAAAAAAA	AATTCTTCCC
121	ACTITICACA	CGGACAGTAG	TACATACCAG	TAGCTCTCTG	CGAGGACGGT	GATCACTAAT
181	CATTTCTCCT	GCTTCGTGGC	AGATGAGTCC	TACCAGACTT	GTGAGGGTGC	TGCTGGCTCT
241	GGCCCTCATC	TTGCCAGGGA	AACTITGTAC	ANAGGGACT	GTTGGAAGGT	CATCGATGGC
301	CCGATGTAGC	CTTCTCGGAG	GTGACTTCAT	CAACACCTTT	GATGAGAGCA	TGTACAGCTT
				GGACTGCCAG		
				CCTCTCCGTG		
				GCAGGGGACC		
				GGCTGGCTAC		
601	CTACGGCTTT	GTGGCCAGAA	TTGATGGCAA	TGGCAACTTT	CAAGTCCTGC	TGTCAGACAG
				CAACTTTAAT		
				CCCCTATGAC		
781	GAGCAGTGGG	GAACAACGGT	GCAAACGGGT	GTCCCCTCCC	AGCAGCCCAT	GCAATGTCTC
841	CTCTGATGAA	GTGCAGCAGG	TCCTGTGGGA	GCAGTGCCAG	CTCCTGAAGA	GTGCCTCGGT
901	GTTTGCCCGC	TGCCACCCGC	TGGTGGACCC	TGAGCCTTTT	GTCGCCCTGT	GTGAAAGGAC
				CCCTTGTGCG		
1021	GCCTGTGCC	CAGCAGGGGA	TIGICTIGIA	CGGCTGGACC	GACCACAGCG	TCTGCCGACC
				GTGCGTGTCC		
				GCAATGTGTA		
1201	GGGCCAGCTC	CTGGATGAAG	GCCACTGCGT	GGGAAGTGCT	GAGTGTTCCT	GTGTGCATGC
1261	TGGGCAACGG	TACCCTCCGG	GCGCCTCCCT	CTTACAGGAC	TGCCACACCT	GCATTTGCCG
1321	AAATAGCCTG	TGGATCTGCA	GCAATGAAGA	ATGCCCAGGC	GAGTGTCTGG	TCACAGGACA
1381	GTCCCACTTC	AAGAGCTTCG	ACAACAGGTA	CTTCACCTTC	AGTGGGGTCT	GCCACTACCT
1441	GCTGGCCCAG	GACTGCCAGG	ACCACACATT	CTCTGTTGTC	ATAGAGACTG	TCCAGTGTGC
1501	CGATGACCTG	GATGCTGTCT	GCACCCGCTC	GGTCACCGTC	CCCCTCCCTG	GACATCACAA
1561	CAGCCTTGTG	AAGCTGAAGA	ATGGGGGAGG	AGTCTCCATG	GATGGCCAGG	ATATCCAGAT
1621	TCCTCTCCTG	CAAGGTGACC	TCCGCATCCA	GCACACCGTG	ATGGCCTCCG	TGCGCCTCAG
1681	CTACGGGGAG	GACCTGCAGA	TGGATTCGGA	CGTCCGGGGC	AGGCTACTGG	TGACGCTGTA
1741	CCCCGCCTAC	GCGGGGAAGA	CCTGCGGCCG	TGGCGGGAAC	TACAACGGCA	ACCGGGGGGA
1801	CGACTTCGTG	ACGCCCGCAG	GCCTGGCGGA	GCCCCTGGTG	GAGGACTTCG	GGAACGCCTG
1861	GAAGCTGCTC	GGGGCCTGCG	AGAACCTGCA	GAAGCAGCAC	CGCGATCCCT	GCAGCCTCAA
1921	CCCGCGCCAG	GCCAGGTTTG	CGGAGGAGGC	GTGCGCCCTG	CTGACGTCCT	CGAAGTTCGA
				CTACGTGCAG		
2041	CICCIGCICC	GACGGCAGAG	ACTGTCTTTG	CAGCGCCGTG	GCCAACTACG	CCGCAGCCGT
2101	GGCCCGGAGG	GCCGTGCACA	TCGCGTGGCG	GGAGCCGGGC	TTCTGTGCGC	TGAGCTGCCC
				CCCCTGCAAC		
				CTTGGAAAGC		
				CAAGGCTCAG		
				AGACCATCAC		
	TOGCTTCATG	CACTGTACCA	CARCTICINO	CCTGGG330C	CHECKECKER	ACCCGGTGCT
	CAGCAGCCCC	CGGTGTCACC	GCAGCAAAAG	GAGCCTGTCC	TGTCGGCCCC	
	CAGCAGCCCC GTTGGTGTGT	CCCGCTGATA	GCAGCAAAAG ACCCGAGGGC	GAGCCTGTCC TGAAGGACTG	TGTCGGCCCC GAGTGTGCCA	ANACCTGCCA
2581	CAGCAGCCCC GTTGGTGTGT GAACTATGAC	CCCGCTGATA CTGCAGTGCA	GCAGCAAAAG ACCCGAGGGC TGAGCACAGG	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC	TGTCGGCCCCC GAGTGTGCCA GGCTGCCTCT	ANACCTGCCA GCCCGCAGGG
25 8 1 2641	CAGCAGCCCC GTTGGTGTGT GAACTATGAC CATGGTCCGG	CGGTGTCACC CCCGCTGATA CTGCAGTGCA CATGAAAACA	GCAGCAAAAG ACCCGAGGGC TGAGCACAGG GGTGTGTGGC	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC GCTGGAAAGA	TGTOGGCCCC GAGTGTGCCA GGCTGCCTCT TGTCCCTGCT	AAACCTGCCA GCCCGCAGGG TCCACCAAGG
2581 2641 2701	CAGCAGCCCC GTTGGTGTGT GAACTATGAC CATGGTCCGG CCAAGAGTAC	CGGTGTCACC CCCGCTGATA CTGCAGTGCA CATGAAAACA GCCCCAGGAG	GCAGCAAAAG ACCCCAGGGC TGAGCACAGG GGTGTGTGGC AAACCGTGAA	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC GCTGGAAAGA AATTGACTGC	TGTCGGCCCC GAGTGTGCCA GGCTGCCTCT TGTCCCTGCT AACACTTGTG	AAACCTGCCA GCCGCAGGG TCCACCAAGG TCTGTCGGGA
2581 2641 2701 2761	CAGCAGCCCC GTTGGTGTGT GAACTATGAC CATOGTCCGG CCAAGAGTAC CCGGAAGTGG	CGGTGTCACC CCCGCTGATA CTGCAGTGCA CATGAAAACA GCCCCAGGAG ACCTGCACAG	GCAGCAAAAG ACCCGAGGOC TGAGCACAGG GGTGTGTGGC AAACCGTGAA ACCATGTGTG	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC GCTGGAAAGA AATTGACTGC TGATGCCACT	TGTOGGCCCC GAGTGTGCCA GGCTGCCTCT TGTCCCTGCT AACACTTGTG TGCTCTGCCA	AAACCTGCCA GCCGCAGGG TCCACCAAGG TCTGTCGGGA TCGGCATGGC
2581 2641 2701 2761 2821	CAGCAGCCCC GTTGGTGTGT GAACTATGAC CATGGTCCGG CCAAGAGTAC CCGGAAGTGG GCACTACCTC	CGGTGTCACC CCCGCTGATA CTGCAGTGCA CATGAAAACA GCCCCAGGAG ACCTGCACAG ACCTTCGACG	GCAGCAAAAG ACCCGAGGGC TGAGCACAGG GGTGTGTGGC AAACCGTGAA ACCATGTGTG GACTCAAGTA	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC GCTGGAAAGA AATTGACTGC TGATGCCACT CCTGTTCCCT	TGTCGGCCCC GAGTGTGCCA GGCTGCCTCT TGTCCCTGCT AACACTTGTG TGCTCTGCCA GGGGAGTGCC	AAACCTGCCA GCCCGCAGGG TCCACCAAGG TCTGTCGGGA TCGGCATGGC AGTATGTTCT
2581 2641 2701 2761 2821 2881	CAGCAGCCCC GTTGGTGTGT GAACTATGAC CATOGTCCGG CCAAGAGTAC CCGGAAGTGG GCACTACCTC GGTGCAGGAT	CGGTGTCACC CCCGCTGATA CTGCAGTGCA CATGAAAACA GCCCCAGGAG ACCTGCACAG ACCTTCGACG TACTGCGGCA	GCAGCAAAAG ACCCGAGGGC TGAGCACAGG GGTGTGTGGC AAACCGTGAA ACCATGTGTG GACTCAAGTA GTAACCCTGG	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC GCTGGAAAGA AATTGACTGC TGATGCCACT CCTGTTCCCT GACCTTACGG	TGTCGGCCCC GAGTGTGCCA GGCTGCCTCT TGTCCCTGCT AACACTTGTG TGCTCTGCCA GGGGAGTGCC ATCCTGGTGG	AAACCTGCCA GCCGGCAGGG TCCACCAAGG TCTGTCGGGA TCGGCATGGC AGTATGTTCT GGAACGAGGG
2581 2641 2701 2761 2821 2881 2941	CAGCAGCCCC GTTGGTGTGT GAACTATGAC CATOGTCCGG CCAAGAGTAC CCGGAAGTGG GCACTACCTC GGTGCAGGAT GTGCAGCTAC	CGGTGTCACC CCCGCTGATA CTGCAGTGCA CATGAAAACA GCCCCAGGAG ACCTGCACAG ACCTTCGACG TACTGCGGCA CCCTCAGTGA	GCAGCAAAAG ACCCGAGGGC TGAGCACAGG GGTGTGTGGC AAACCGTGAA ACCATGTGTG GACTCAAGTA GTAACCCTGG AATGCAAGAA	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC GCTGGAAAGA AATTGACTGC TGATGCCACT CCTGTTCCCT GACCTTACGG GCGGGTCACC	TGTCGGCCCC GAGTGTGCCA GGGTGCCTCT TGTCCCTGCT AACACTTGTG TGCTCTGCCA GGGGAGTGCC ATCCTGGTGG ATCCTGGTGG	AAACCTGCCA GCCGGCAGGG TCCACCAAGG TCTGTCGGGA TCGGCATGGC AGTATGTTCT GGAACGAGGG AAGGAGGAGA
2581 2641 2701 2761 2821 2881 2941	CAGCAGCCCC GTTGGTGTGT GAACTATGAC CATOGTCCGG CCAAGAGTAC CCGGAAGTGG GCACTACCTC GGTGCAGGAT GTGCAGGAT GTGCAGGTAC GATTGAACTG	CGGTGTCACC CCCGCTGATA CTGCAGTGCA CATGAAAACA GCCCCAGGAG ACCTGCACAG ACCTTCGACG TACTGCGGCA CCCTCAGTGA TTTGATGGGG	GCAGCAAAAG ACCCGAGGGC TGAGCACAGG GGTGTGTGGC AAACCGTGAA ACCATGTGTG GACTCAAGTA GTAACCCTGG AATGCAAGAA AGGTGAATGT	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC GCTGGAAAGA AATTGACTGC TGATGCCACT CCTGTTCCCT GACCTTACGG GCGGGTCACC GAAGAAACCC	TGTCGGCCCC GAGTGTGCCA GGGTGCCTCT TGTCCCTGCT AACACTTGTG TGCTCTGCCA GGGGAGTGCC ATCCTGGTGG ATCCTGGTGG ATGAAGGATG	AAACCTGCCA GCCGCAGGG TCCACCAAGG TCTGTCGGGA TCGGCATGGC AGTATGTTCT GGAACGAGG AAGGAGGAGA AGACTCACTT
2581 2641 2701 2761 2821 2881 2941	CAGCAGCCCC GTTGGTGTGT GAACTATGAC CATOGTCCGG CCAAGAGTAC CCGGAAGTGG GCACTACCTC GGTGCAGGAT GTGCAGGAT GTGCAGGTAC GATTGAACTG AGGTGGT	CGGTGTCACC CCCGCTGATA CTGCAGTGCA CATGAAAACA GCCCCAGGAG ACCTGCACAG ACCTTCGACG TACTGCGGCA CCCTCAGTGA TTTGATGGGG AAUTCTGGTT	GCAGCAAAAG ACCCGAGGGC TGAGCACAGG GGTGTGTGGC AAACCGTGAA ACCATGTGTG GACTCAAGTA GTAACCCTGG AATGCAAGAA AGGTGAATGT AGTACGTCAT	GAGCCTGTCC TGAAGGACTG CTGTGTCTCC GCTGGAAAGA AATTGACTGC TGATGCCACT CCTGTTCCCT GACCTTACGG GCGGGTCACC	TGTOGGCCCC GAGTGTGCCA GGGTGCCTCT TGTCCCTGCT AACACTTGTG TGCTCTGCCA GGGGAGTGCC ATCCTGGTGG ATCCTGGTGG ATGAAGGATG GGCAAGGCA GGCAAGGCA GGGAAGGCA GGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGCA GGGAAGGCA GGAAGGCA GGGAAGGCA GGGAAGGCA GGGAAGCA GGGAAGGCA GGAA	AAACCTGCCA GCCGGCAGGG TCCACCAAGG TCTGTCGGGA TCGGCATGGC AGTATGTTCT GGAACGAGGA AAGACTCACTT TCTGTGG

FIGURE 1B

3181	TGGCCTGTGT	GGGAATTTTG	ATGGCATCCA	GAACAATGAT	TTCACCAGCA	GCAGCCTCCA
	AATAGAAGAA					
	CACCAAGAAA					
	GACGATGGTG					
	GCTGGTGGAC					
	CATTGGGGAC					
	GCATGGCAAG					
	GAATCTCCAC					
	TCCCATCACG					
	CCATGCGCAC					
	TGAAGACTGT					
	CTTGAACCCC					
	CTGTAAGGCC					
	CTCTACCACC					
	CAGGCTTCTG					
	TGAAGTGCTG					
	GATCCGCGTG					
	CCGGAAGCGA					
	GGTGGCCTCC					
	CCGCCCGGAA					
	GGCCCGGAAT					
	TGTGGGCATC					
	TGAGAACAAG					
	TATCAACTAC					
	GGCCCAGGTC					
	CTCCATGGTC					
	CTTTAACAAA					
	CAGGATCCAC					
	CGAGGCGCAG					
4921	CAACAGGACC	AACACIGGAC	TOGCCCTGCA	ATACCTGTCC	GAACACAGCT	TUTCGGTCAG
4301	CCAGGGGGAC	CGGGAGCAGG	TACCTAACCT	GGTCTACATG	GTCACAGGAA	ACCCCGCTTC
2041	TGATGAGATC	AAGCGGATGC	CIGGAGACAT	CEAGGTGGTG	CCCATCGGGG	TGGGTCCACA
5101	TGCCAATGTG	CAGGAGCIGG	AGAAGATTGG	CTGGCCCAAT	GCCCCCATCC	TCATCCATGA
2101	CTTTGAGATG	TTCCCTCGAG	AGGCTCCTGA	TCTGGTGCTA	CAGAGGTGCT	GCTCTGGAGA
5221	GGGGCTGCAG	ATCCCCACCC	TCTCCCCCAC	CCCAGATTGC	AGCCAGCCCC	TGGATGTGGT
2281	CCTCCTCCTG	GATGGCTCTT	CCAGCATTCC	AGCTTCTTAC	TTTGATGAAA	TGAAGAGCTT
2341	CACCAAGGCT	TITATITCAA	GAGCTAATAT	AGGGCCCCGG	CTCACTCAAG	TCTCCCTCCT
5461	GCAATATGGA	AGCATCACCA	CTATCGATGT	GCCTTGGAAT	GTAGCCTATG	AGAAAGTCCA
2401	TTTACTGAGC	CTTGTGGACC	TCATGCAGCA	GGAGGGAGGC	CCCAGCGAAA	TTGGGGATGC
3271	TTTGAGCTTT	GCCGTGCGAT	ATGTCACCTC	AGAAGTCCAT	GGTGCCAGGC	CCGGAGCCTC
5541	GAAAGCGGTG	GITATECTAG	TCACAGATGT	CTCCGTGGAT	TCAGTGGATG	CTGCAGCCGA
5701	GGCCGCCAGA	TOCARCOGAG	TGACAGTGTT	CCCCATTGGA	ATCGGGGATC	GGTACAGTGA
5701 5761	GGCCCAGCTG	AGCAGCT TGG	CAGGCCCAAA	GCTGCCTCC	AATATGGTAA	GGCTCCAGCG
5821	AATTGAAGAC	CICCCCACCG	TOUCCACCCT	OCCUNATICC	TTCTTCCACA	AGCTGTGCTC
5001	TOGGTTTGAT	AGAGTTTUCU	TOGATGAGGA.	TEGERATERS	AAGAGGCCCG	GGGATGTCTG
	GACCTTGCCA					
2347	GAGTCATCGG	GICAACTGTG	ACCOUGOGCC	AAGGCCTTCG	TGCCCCAATG	GCCAGCCCCC
6051	TCTCAGGGTA	CAGGAGACCT	GTOGCTGCCG	CTOGACCTGT	CCCTGTGTGT	GCATGGGCAG
£121	CTCTACCCGG	CACAICUIGA	CCTTTGATGG	GCAGAATTTC	AAGCTGACTG	GCAGCTGTTC
6181	GTATGTCCTA	COCALCOLO	AGGAGCAGGA	CCTGGAGGTG	ATTCTCCAGA	ATGGTGCCTG
6241	CAGCCCTGGG	CLURAGUAGA	CCTGCATGAX	ATCCATTGAG	GTGAAGCATG	ACGGCCTCTC
6303	AGTTGAGCTC	CACAGTGACA	TGCAGATGAC	AGTGAATGGG	AGACTAGTCT	CCATCCCATA
675	TGTGGGTGGA	GACATGGAAG	TCAATGTTTA	TGGGACCATC	ATGTATGAGG	TCAGATTCAA
0767	CCATCTTGGC	CACATCTTCA	CATTCACCCC	CCAAAACAAT	GAGTTCCAGC	TGCAGCTCAG

FIGURE 1C

6421	CCCCAGGACC	TTTGCTTCGA	AGACATATGG	TCTCTGTGGG	ATCTGTGATG	AGAACGGAGC
6481	CANTGACTTC	ATTCTGAGGG	ATGGGACAGT	CACCACAGAC	TGGAAGGCAC	TCATCCAGGA
6541	ATGGACCGTA	CAGCAGCTTG	GGAAGACATC	CCAGCCTGTC	CATGAGGAGC	AGTGTCCTGT
6601	CTCCGAATTC	TTCCACTGCC	AGGTCCTCCT	CTCAGAATTG	TTTGCCGAGT	GCCACAAGGT
			ATGCCATGTG			
			ATGCCCACCT			
			CTATGTCATG			
			GTGAAGGCAA			
			ACCAAGTCAT			
			AGGATGGAGT			
			TCTGCACGTG			
			AAGCTCCCAC			
			GCCCGGAGTA			
			GCGAAGATGG			
			GTGCCTGCAG			
			CCCCCCCCT			
			ACTCCACGGT			
			GCACCACAAC			
			TGGGCCAGTT			
7561	CACGGACTTG	GAGGACTCTG	TGATGGGCCT	GCGTGTGGCC	CAGTGCTCCC	AGAAGCCCTG
7621	TGAGGACAAC	TGCCTGTCAG	GCTTCACTTA	TGTCCTTCAT	GAAGGCGAGT	GCTGTGGAAG
7681	GTGTCTGCCA	TCTGCCTGTG	AGGTGGTCAC	TGGTTCACCA	CGGGGCGACG	CCCAGTCTCA
7741	CTGGAAGAAT	GTTGGCTCTC	ACTGGGCCTC	CCCTGACAAC	CCCTGCCTCA	TCAATGAGTG
7801	TGTCCGAGTG	AAGGAAGAGG	TCTTTGTGCA	ACAGAGGAAT	GTCTCCTGCC	CCCAGCTGAA
7861	TGTCCCCACC	TGCCCCACGG	GCTTCCAGCT	GAGCTGTAAG	ACCTCAGAGT	GTTGTCCCAC
7921	CTGTCACTGC	GAGCCCCTGG	AGGCCTGCTT	GCTCAATGGT	ACCATCATTG	GGCCGGGGAA
7981	AAGTCTGATG	ATTGATGTGT	GTACAACCTG	CCGCTGCACC	CTCCCCCTGG	GAGTCATCTC
			GGAAGACCAC			
9101	AGAGAAGAAC	CAAGGTGAAT	GCTGTGGGAG	ATGTCTGCCT	ATAGCTTGCA	CCATTCAGCT
8161	AAGAGGAGGA	CAGATCATGA	CACTGAAGCG	TGATGAGACT	ATCCAGGATG	GCTGTGACAG
			AAAGAGGAGA		=	•
8281	CCCACCTTTC	GATGAACACA	AGTGTCTGGC	TGAGGGAGGA	AAAATCATGA	AAATTCCAGG
8341	CACCTGCTGT	GACACATGTG	AGGAGCCAGA	ATGCAAGGAT	ATCATTGCCA	AGCTGCAGCG
			AGTCTGAAGA			
			ACTCCATCCA			
			AGCCCATGCA			
			ATGCCATCGA			
			CTACTGTCGC			
			CAGTCCTCCT			CCTGATCCCA
8761	CAATAAAGGT	CANTETTTCA	CCTTGAAAAA	XXXXXXXXX	λλ	

Human Dog	MIPARFAGVLLALALILPGTLCAEGTRGRSSTARCSLFGSDFVNTFDGSMYSFAGYCSYL -S-T-LVRKTKVML-GIED	60
3	•	
Human Dog	LAGGCQFRSFSIIGDFQNGKRVSLSVYLGEFFDIHLFVNGTVTQGDQRVSMPYASKGLYL	120
Human Dog	ETEAGYYKLSGEAYGFVARIDGSGNFQVLLSDRYFN%TCGLCGNFNIFAEDDFMTQEGTL -AKK	180
Human Dog	TSDPYDFANSWALSSGEQWCERASPPSSSCNISSGEMQKGLWEQCQLLKSTSVFARCHPLR-K-VPVD-V-QVA	240
Human Dog	VDPEPFVALCEKTLCECAGGLECACPALLEYARTCAQEGMVLYG#TDHSACSPVCPAGME	300
Human Dog	YRQCVSPCARTCQSLHINEMCQERCVDGCSCPEGQLLDEGLCVESTECPCVHSGKRYPPG-KETVK-VQHG-ASA-Q	360
Human Dog	TSLSRDCNTCICPNSQWICSNEECPGECLVTGQSHFKSFDNRYFIFSGICQYLLARDCQD ALQHL	420
Human Dog	KSFSIVIETVQCADDRDAVCTRSVTVRLPGLENSLVKLKHGAGVAPDGQDVQLPLLKGDL-TVL	480
Human Dog	RIQHTVTASVRLSYGEDLQMDWDGRGRLLVKLSPVYAGKTCGLCGNYNGNQGDDFLTPSG	540
Human Dog	LAEPRVEDFGNAWKLHGDCQDLQKQHSDPCALNPRNTRFSEEACAVLTSPTFEACHRAVSLL-A-ENQAALSKPG	600
Kuman Dog	PLPYLRNCRYDVCSCSDGRECLCGALASYAAACAGRGVRVAWREPGRCELNCPKGQVYLQ-QVQLDS-V-NV-RHIF-A-SQ	660
Human Dog	CGTPCNLTCRSLSYPDEECNEACLEGCFCPPGLYPDERGDCVPKAQCPCYYDGEIFQPED	720
Human Dog	IFSDHHTMCYCEDGFMHCTMSGVPGSLLPDAVLSSPLSHRSKRSLSCRPPMVKLVCPADNTGLNPRC	780
Human Dog	LRAEGLECTKTCONYDLECMSHGCVSGCLCPPGHVRHENRCVALERCPCFHQGKEYAPGE PQTQQQ	840
Human Dog	TVKIGCNTCVCRDRKHMCTDHVCDATCSTIGMAHYLTFDGLKYLFPGECQYVLVQDYCGS	900
Human Dog	NPGTFRILVGNKGCSHPSVKCKKRVTILVEGGEIELFDGEVNVKRPMXDETHFEVVESGR	960
Hum <u>an</u> Dog	YIILLLGKALSVVNDRHLSISVVLKQTYQEKVCGLCGNFDGIQMADLTSSNLQVEEDPVD	1020
Human	FGNSHKVSSQCADTRKVPLDSSPATCHNNIHKQIMVDSSCRILTSDVFQDCNKLVDPEPY	1080


FIGURE 2A

Human Dog	LDVCIYDTCSCESIGDCACFCDTIAAYAHVCAQHGKVVTWRTATLCPQSCEERNLRENGY	1140
Human Dog	ECEWRYNSCAPACQVTCQHPEPLACPVQCVEGCHAHCPPGKILDELLQTCVDPEDCPVCE	1200
Human Dog	VAGRRFASGKKVTLNPSDPEHCQICHCDVVNLTCEACQEPGGLVVPPTDAPVSPTTLYVEL-PIINGFKRSVG-IGSS	1260
Human Dog	DISEPPLHDFYCSRLLDLVFLLDGSSRLSEAEFEVLKAFVVDMMERLPISOKWVRVAVVE -THRI	1320
Human Dog	YHDGSHAYIGLKDRKRPSELRRIASOVKYAGSOVASTSEVLKYTLFOIFSKIDRPEASRI	1380
Human Dog	ALLLMASQEPQRMSRNFVRYVQGLKKKKVIVIPVGIGPHANLKQIRLIEKQAPENKAFVL	1440
Human Dog	SSVDELEQQRDEIVSYLCDLAFEAPPPTLPPHHAQVTVGPGLLGVSTLGPKRNSMVLDVA -GRINAQH-PSESPV	1500
Human Dog	FVLEGSDKIGEADFNRSKEFMEEVIORPDVGODSIHVTVLOYSYMVTVEYPFSEAOSKGD	1560
Human Dog	ILORVREIRYOGGNRTNTGLALRYLSDHSFLVSOGDREOAPNLVYHVTGNPASDEIRRLP VQDRQESV	1620
Euman Dog	GDIOVVPIGVGPNANVOELERIGWPNAPILIODFETLPREAPDLVLORCCSGEGLCIPTL	1680
Human Dog	SPAPDCSQPLDVILLLDGSSSFPASYFDEMKSFAKAFISKANIGPRLTQVSVLQYGSITT	1740
Human Dog	IDVPHNVVPEKAHLLSLVDVMQREGGPSQIGDALGFAVRYLTSEMHGARPGASKAVVILV	1800
Human Dog	TDVSVDSVDAAADAARSNRVTVFPIGIGDRYDAAOLRILAGPAGDSNVVKLQRIEDLPTN:	1860
Human Dog	VTLGNSFLHKLCSGFVRICHDEDGNEKRPGDVWTLPDOCHTVTCQPDGQTLLKTHRVNCD	1920
Human Dog	RGLRPSCPNSQSPVKVEETCGCRWTCPCVCTGSSTRHIVTFDGQNFKLTGSCEYVLFQNK	1980
Human Dog	EQDLEVILHBGACSPGARQGCMKSIEVKHSALSVELHSDHEVTVNGRLVEVPYVGGNHEV	2040
Human Dog	NVYGAINHEVRFNHLGHIFTFTPQNNEFQLQLSPKTFASKTYGLCGICDENGANDFNLRD	2100
Human Dog	GTVTTDWKTLVQEWTVQRPGQTCQPILEEQCLVPDSSHCQVLLLPLFAECHKVLAPATFY	2160

IGURE 26

Human Dog	AICOODSCHOEOVCEVIASYAHLCRTNGVCVDWRTPDFCAMSCPPSLVYNHCEHGCPRHC -MPPKKALKRANL-	2220
Human Dog	DGNVSSCGDHPSEGCFCPPDKVMLEGSCVPEEACTQCIGEDGVQHQFLEAWVPDHQPCQI ETQNQSRTA	2280
Human Dog	CTCLSGRKVNCTTQPCPTAKAPTCGLCEVARLRQNADQCCPEYECVCDPVSCDLPPVPHC	2340
Human Dog	ERGLOPTLTNPGECRPNFTCACRKEECKRVSPPSCPPHRLPTLRKTQCCDEYECACNCVN-DMT-AT-A	2400
Human Dog	STVSCPLGYLASTATNDCGCTTTTCLPDKVCVHRSTIYPVGQFWEEGCDVCTCTDHEDAV	2460
Human Dog	MGLRVAQCSQKPCEDSCRSGFTYVLHEGECCGRCLPSACEVVTGSFAGDSQSSWKSVGSQ	2520
Human Dog	WASPENPOLINECVRVKEEVFIQORNVSCPOLEVPVCPSGFQLSCKTSACCPSCRCERME	2580
Human Dog	ACHINGTVIGPGKTVMIDVCTTCRCMVQVGVISGFKLECRKTTCNPCPLGYKEENNTGEC	2640
Human Dog	CGRCLPTACTIOLRGGQINTLKRDETLQDGCDTHFCKVNERGEYFWEKRVTGCPPFDEHK	2700
Human Dog	CLAEGGKIMKIPGTCCDTCEEPECNDITARLQYVKVGSCKSEVEVDIHYCQGKCASKANY	2760
Euman Dog	SIDINDVQDQCSCCSPTRTEPMQVALHCTMGSVVYHEVLNAMECKCSPRKCSK	2813


FIGURE 2C





8/9

FIGURE 4



INTERNATIONAL SEARCH REPORT

International application No. PCT/US97/12606

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :C12Q 1/68; C12P 19/34; C07H 21/02, 21/04 US CL :435/6, 91.2; 536/23.1, 24.3, 24.33 According to International Patent Classification (IPC) or to both national classification and IPC						
B. FIELDS SEARCHED						
Minimum documentation searched (classification system follower	ed by classification symbols)					
U.S. : 435/6, 91.2; 536/23.1, 24.3, 24.33	,,					
Documentation searched other than minimum documentation to the	e extent that such documents are included	in the fields searched				
Electronic data base consulted during the international search (n	ame of data have and, where practicable	c search terms used)				
Picase See Extra Sheet.		-,,				
C. DOCUMENTS CONSIDERED TO BE RELEVANT						
Category ^a Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.				
an intron of the canine von Willebrand	SHIBUYA, H. et al. A polymorphic (AGGAAT), tandem repeat in an intron of the canine von Willebrand factor gene. Animal Genetics.					
ripin 1994, Volume 29, Number 2, pa	April 1994, Volume 25, Number 2, page 122, see entire document.					
	<u></u>					
Purther documents are listed in the continuation of Box C	See patent family anacx.					
* Special estagaries of cital documents: "A" document defining the general state of the art which is not considered to be of particular relevances to be of particular relevances. "A" document defining the general state of the art which is not considered to be of particular relevances.						
"E" cortier designant published on or other the international filling data. "A" designant of pertainter relovance; the electrical investion expects to examine an extension of pertainter relovance; the electrical investion expects to their designant to their electrical investion of pertainter relovance; the electrical investion expects to their electrical investion of pertainter relovance; the electrical investion expects to their electrical investion elec						
otted to establish the publication data of another estation or other special reason (as aposition). "Y" decomment referring to an oral disclarate, not, exhibition or other semilated with one or more other real decomment, such combination.						
"P" decement published prior to the interactional filing date but later than the priority date element	being obvious to a purson skilled in it. "A" decement member of the same patent	he est				
Date of the actual completion of the international search	Date of mailing of the international sea	ırch report				
28 AUGUST 1997	1 4 NOV 19	• ;				
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT	Authorized officer					
Washington, D.C. 20231 DIANNE REES -7 (UO)						
Pacsimile No. (703) 305-3230 Form PCT/ISA/210 (accound sheet)(July 1992) #	Telephone No. (703) 308-0196	0				

INTERNATIONAL SEARCH REPORT

International application No PCT/US97/12606

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

APS, BIOSIS, BIOTECHABS, RIOTECHDS, CABA, DGENE, DRUGU, EMBASE, MEDLINE, EUROPATFULL, JAPIO, WPIDS, USPATFULL, GENBANK

search terms: won Willebrand, sequence, clone, cloning, probes, primers, hybridization, detection, nucleic acids, mutations, casine,dogs, Scottish terriers, primers in Figure 4.

		,